

Table 13.20
Leukemia

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2009-2011 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.06	0.09	0.12	1.43	0.86	Asian/ Pacific Islander	0	0.05	0.07	0.09	0.96	0.66
	10	0.03	0.06	0.09	1.39	0.87		10	0.03	0.05	0.08	0.92	0.66
	20	0.03	0.06	0.13	1.36	0.86		20	0.02	0.05	0.10	0.89	0.65
	30	0.04	0.10	0.23	1.35	0.86		30	0.03	0.08	0.15	0.88	0.65
	40	0.06	0.20	0.46	1.32	0.86		40	0.05	0.12	0.26	0.85	0.64
	50	0.13	0.41	0.82	1.29	0.86		50	0.07	0.21	0.44	0.81	0.63
	60	0.29	0.73	1.11	1.23	0.86		60	0.14	0.38	0.66	0.76	0.61
	70	0.50	0.93	-	1.07	0.83		70	0.26	0.55	-	0.66	0.56
White	80	0.59	-	-	0.77	0.69	American Indian/ Alaska Native ^a	80	0.35	-	-	0.49	0.45
	0	0.07	0.10	0.13	1.50	0.90		0	0.04	0.07	0.10	0.78	0.50
	10	0.04	0.06	0.10	1.44	0.90		10	0.03	0.06	0.09	0.75	0.51
	20	0.03	0.06	0.13	1.41	0.90		20	0.03	0.06	0.09	0.72	0.50
	30	0.04	0.10	0.24	1.40	0.90		30	0.03	0.07	0.15	0.70	0.50
	40	0.07	0.20	0.48	1.38	0.89		40	0.03	0.11	0.25	0.69	0.50
	50	0.14	0.43	0.86	1.34	0.90		50	0.08	0.22	0.40	0.68	0.52
	60	0.30	0.76	1.16	1.28	0.90		60	0.15	0.34	0.53	0.64	0.52
Black	70	0.52	0.97	-	1.10	0.86	Hispanic ^b	70	0.22	0.44	-	0.56	0.52
	80	0.61	-	-	0.79	0.71		80	0.30	-	-	0.46	0.44
	0	0.03	0.05	0.07	0.96	0.62		0	0.07	0.11	0.14	1.21	0.68
	10	0.02	0.04	0.07	0.95	0.63		10	0.04	0.07	0.11	1.15	0.68
	20	0.02	0.05	0.11	0.93	0.63		20	0.03	0.07	0.12	1.11	0.67
	30	0.03	0.09	0.20	0.92	0.63		30	0.04	0.09	0.19	1.08	0.66
	40	0.06	0.17	0.36	0.91	0.62		40	0.06	0.16	0.35	1.06	0.65
	50	0.11	0.31	0.59	0.88	0.62		50	0.10	0.30	0.59	1.02	0.64
	60	0.22	0.52	0.76	0.85	0.63		60	0.20	0.51	0.84	0.96	0.63
	70	0.37	0.65	-	0.76	0.60		70	0.34	0.70	-	0.83	0.59
	80	0.42	-	-	0.58	0.50		80	0.45	-	-	0.62	0.50

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.