

Table 13.22

Leukemia

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2009-2011 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.06	0.09	0.11	1.19	0.72	Asian/ Pacific Islander	0	0.04	0.06	0.08	0.78	0.57
	10	0.03	0.05	0.08	1.15	0.73		10	0.02	0.04	0.07	0.74	0.57
	20	0.02	0.05	0.11	1.12	0.72		20	0.02	0.05	0.09	0.72	0.56
	30	0.03	0.09	0.19	1.11	0.72		30	0.03	0.07	0.13	0.71	0.56
	40	0.06	0.16	0.36	1.08	0.71		40	0.05	0.10	0.22	0.68	0.55
	50	0.10	0.31	0.63	1.05	0.71		50	0.06	0.17	0.34	0.64	0.54
	60	0.22	0.55	0.87	0.99	0.70		60	0.12	0.28	0.50	0.60	0.52
	70	0.37	0.72	-	0.85	0.67		70	0.18	0.40	-	0.50	0.47
White	80	0.46	-	-	0.63	0.56	American Indian/ Alaska Native ^a	80	0.26	-	-	0.38	0.38
	0	0.07	0.10	0.12	1.24	0.75		0	0.03	0.07	0.10	0.73	0.36
	10	0.03	0.05	0.09	1.19	0.75		10	0.04	0.07	0.11	0.70	0.36
	20	0.02	0.06	0.11	1.16	0.75		20	0.02	0.07	0.10	0.66	0.36
	30	0.03	0.09	0.19	1.14	0.74		30	0.05	0.08	0.14	0.64	0.35
	40	0.06	0.16	0.37	1.12	0.74		40	0.03	0.09	0.23	0.61	0.36
	50	0.11	0.32	0.66	1.09	0.73		50	0.07	0.20	0.32	0.59	0.36
	60	0.23	0.58	0.91	1.02	0.72		60	0.14	0.26	0.44	0.56	0.35
Black	70	0.39	0.75	-	0.88	0.69	Hispanic ^b	70	0.13	0.34	-	0.46	0.30
	80	0.47	-	-	0.64	0.58		80	0.26	-	-	0.43	0.18
	0	0.03	0.05	0.07	0.87	0.57		0	0.07	0.11	0.13	1.07	0.60
	10	0.02	0.04	0.07	0.86	0.58		10	0.04	0.06	0.10	1.01	0.60
	20	0.02	0.05	0.10	0.84	0.57		20	0.03	0.06	0.11	0.97	0.59
	30	0.03	0.08	0.16	0.83	0.57		30	0.03	0.08	0.17	0.95	0.59
	40	0.05	0.13	0.29	0.81	0.57		40	0.05	0.14	0.29	0.93	0.58
	50	0.09	0.25	0.48	0.78	0.56		50	0.09	0.24	0.50	0.89	0.57
	60	0.17	0.42	0.64	0.75	0.56		60	0.16	0.42	0.70	0.82	0.55
	70	0.29	0.55	-	0.67	0.54		70	0.28	0.59	-	0.71	0.50
	80	0.35	-	-	0.52	0.45		80	0.37	-	-	0.52	0.41

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.