


Table 14.20
Cancer of the Liver and Intrahepatic Bile Duct (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011

Females

State	Rate	SE	Rank	PD
TOTAL U.S.	3.43	0.02		
High Five States				
Texas	4.53 ^b	0.09	(01)	32.02 ^c
D.C.	4.47	0.53	(02)	30.29 ^c
Louisiana	4.33 ^b	0.18	(03)	26.35 ^c
Hawaii	4.33	0.32	(04)	26.31 ^c
California	4.27 ^b	0.07	(05)	24.62 ^c
Low Five States				
New Hampshire	2.72	0.27	(47)	-20.72 ^c
Kansas	2.70 ^b	0.18	(48)	-21.20 ^c
Idaho	2.68	0.26	(49)	-21.97 ^c
Nebraska	2.66	0.22	(50)	-22.46 ^c
North Dakota	2.22 ^b	0.32	(51)	-35.27 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	3.61	0.16	(10)	5.14	Montana	2.76	0.30	(45)	-19.50 ^c
Alaska	3.51	0.55	(14)	2.35	Nebraska	2.66	0.22	(50)	-22.46 ^c
Arizona	3.55	0.14	(12)	3.57	Nevada	3.51	0.23	(15)	2.34
Arkansas	3.69	0.20	(08)	7.56	New Hampshire	2.72	0.27	(47)	-20.72 ^c
California	4.27 ^b	0.07	(05)	24.62 ^c	New Jersey	3.23	0.11	(26)	-5.88
Colorado	2.99	0.16	(37)	-12.89	New Mexico	3.91	0.26	(07)	14.07
Connecticut	2.92	0.16	(42)	-14.79	New York	3.38	0.07	(17)	-1.46
Delaware	3.19	0.34	(29)	-7.11	North Carolina	2.94 ^b	0.10	(41)	-14.22
D.C.	4.47	0.53	(02)	26.31 ^c	North Dakota	2.22 ^b	0.32	(51)	-35.27 ^c
Florida	3.08 ^b	0.07	(32)	-10.28	Ohio	2.97 ^b	0.09	(38)	-13.40
Georgia	3.21	0.12	(28)	-6.36	Oklahoma	3.52	0.18	(13)	2.60
Hawaii	4.33	0.32	(04)	26.31 ^c	Oregon	3.35	0.17	(19)	-2.30
Idaho	2.68	0.26	(49)	-21.97 ^c	Pennsylvania	3.11 ^b	0.08	(31)	-9.24
Illinois	3.38	0.10	(18)	-1.55	Rhode Island	3.58	0.33	(11)	4.47
Indiana	3.02	0.13	(35)	-11.96	South Carolina	3.23	0.16	(27)	-5.89
Iowa	2.97	0.17	(39)	-13.49	South Dakota	3.41	0.37	(16)	-0.64
Kansas	2.70 ^b	0.18	(48)	-21.20 ^c	Tennessee	3.31	0.13	(21)	-3.40
Kentucky	3.12	0.15	(30)	-9.14	Texas	4.53 ^b	0.09	(01)	32.02 ^c
Louisiana	4.33 ^b	0.18	(03)	26.35 ^c	Utah	2.75	0.22	(46)	-19.94 ^c
Maine	2.89	0.25	(43)	-15.81 ^c	Vermont	2.78	0.38	(44)	-19.00 ^c
Maryland	3.30	0.14	(22)	-3.70	Virginia	3.00 ^b	0.12	(36)	-12.48
Massachusetts	3.27	0.13	(24)	-4.71	Washington	3.69	0.14	(09)	7.45
Michigan	3.29	0.10	(23)	-4.19	West Virginia	3.26	0.23	(25)	-5.06
Minnesota	3.04	0.14	(34)	-11.39	Wisconsin	3.07	0.13	(33)	-10.56
Mississippi	4.10	0.22	(06)	19.68 ^c	Wyoming	2.96	0.45	(40)	-13.76
Missouri	3.31	0.13	(20)	-3.39					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.