

Table 14.22

Cancer of the Liver and Intrahepatic Bile Duct (Invasive)

Percent Distribution and Counts by Histology among Histologically Confirmed Cases, 2007-2011
Both Sexes by Race

Histology ^a	All Races		White		Black		Asian/Pacific Islander		American Indian/ Alaska Native ^b		Hispanic ^c	
	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent	Count	Percent
Carcinoma (8010-8576)	21,869	97.2%	15,329	96.9%	2,818	98.3%	3,364	97.8%	195	96.1%	3,507	95.3%
Hepatocellular carcinoma ^d (8170-8175)	16,940	75.3%	11,527	72.9%	2,381	83.1%	2,743	79.7%	154	75.9%	2,805	76.2%
Cholangiocarcinoma (8032-8033,8070-8071, 8140-8141,8160,8260, 8480-8481,8490,8560)	3,936	17.5%	3,095	19.6%	325	11.3%	465	13.5%	31	15.3%	541	14.7%
Other carcinoma ^e	993	4.4%	707	4.5%	112	3.9%	156	4.5%	-	-	161	4.4%
Other specific carcinoma ^f	598	2.7%	434	2.7%	59	2.1%	98	2.8%	-	-	96	2.6%
Unspecified, Carcinoma, NOS (8010,8020-8022,8031, 8046,8050)	395	1.8%	273	1.7%	53	1.8%	58	1.7%	-	-	65	1.8%
Hepatoblastoma (8970)	213	0.9%	168	1.1%	-	-	25	0.7%	-	-	83	2.3%
Sarcoma ^g	204	0.9%	160	1.0%	18	0.6%	23	0.7%	-	-	37	1.0%
Hemangiosarcoma (9120)	81	0.4%	66	0.4%	-	-	-	-	-	-	-	-
Other sarcomas ^h	123	0.5%	94	0.6%	-	-	-	-	-	-	24	0.7%
Other specific types (8720,8980,8991,9061, 9064,9070-9071,9080, 9100)	40	0.2%	28	0.2%	-	-	-	-	-	-	-	-
Unspecified (8000-8004)	165	0.7%	129	0.8%	-	-	21	0.6%	-	-	43	1.2%
Total ^d	22,492	100.0%	15,815	100.0%	2,866	100.0%	3,440	100.0%	203	100.0%	3,680	100.0%

Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).

Percentages may not sum to 100 due to rounding.

^a Excludes Kaposi Sarcoma, mesothelioma, lymphomas, leukemias, myelomas, lymphoreticular, and immunoproliferative diseases.

^b Estimates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.

^c Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

^d Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

^e Epidermoid carcinoma arising from liver parenchyma are referred to as hepatocellular carcinoma.

^f Other carcinoma include histologies 8010, 8012-8013, 8020-8022, 8031, 8035, 8041-8042, 8046, 8050, 8124, 8142, 8154, 8161-8162, 8180, 8190, 8211, 8240, 8246, 8249, 8255, 8290, 8310, 8323, 8337, 8440, 8450, 8453, 8470-8471, 8500, 8503, 8510, 8521, 8550, 8574, 8576.

^g Other specific carcinoma include histologies 8012-8013, 8035, 8041-8042, 8124, 8142, 8154, 8161-8162, 8180, 8190, 8211, 8240, 8246, 8249, 8255, 8290, 8310, 8323, 8337, 8440, 8450, 8453, 8470-8471, 8500, 8503, 8510, 8521, 8550, 8574, 8576.

^h Sarcoma includes histologies 8800-8806, 8810, 8815, 8830, 8850, 8852, 8854, 8890-8891, 8894-8896, 8900, 8910, 8920, 8935-8936, 8940, 8963, 8990, 9040-9041, 9044, 9120, 9124, 9130, 9133, 9150, 9180, 9220, 9260, 9364, 9473, 9500, 9540, 9560, 9581.

^h Other sarcomas include histologies 8800-8806, 8810, 8815, 8830, 8850, 8852, 8854, 8890-8891, 8894-8896, 8900, 8910, 8920, 8935-8936, 8940, 8963, 8990, 9040-9041, 9044, 9124, 9130, 9133, 9150, 9180, 9220, 9260, 9364, 9473, 9500, 9540, 9560, 9581.

- Statistic not shown due to fewer than 16 cases during the time period.