


Table 15.25
Cancer of the Lung and Bronchus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011

Males

State	Rate	SE	Rank	PD
TOTAL U.S.	61.58	0.09		
High Five States				
Kentucky	94.49 ^b	0.98	(01)	53.44 ^c
Mississippi	92.02 ^b	1.22	(02)	49.42 ^c
Arkansas	88.13 ^b	1.12	(03)	43.10 ^c
Tennessee	86.50 ^b	0.79	(04)	40.45 ^c
Alabama	85.52 ^b	0.89	(05)	38.87 ^c
Low Five States				
Hawaii	46.68 ^b	1.18	(47)	-24.19 ^c
California	45.54 ^b	0.25	(48)	-26.06 ^c
Colorado	42.78 ^b	0.68	(49)	-30.54 ^c
New Mexico	42.25 ^b	0.96	(50)	-31.39 ^c
Utah	26.51 ^b	0.77	(51)	-56.95 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	85.52 ^b	0.89	(05)	38.87 ^c	Montana	52.26 ^b	1.42	(41)	-15.14 ^c
Alaska	62.84	2.66	(24)	2.04	Nebraska	57.92	1.16	(33)	-5.95 ^c
Arizona	47.85 ^b	0.56	(46)	-22.30 ^c	Nevada	57.97	1.03	(32)	-5.87 ^c
Arkansas	88.13 ^b	1.12	(03)	43.10 ^c	New Hampshire	59.22	1.38	(28)	-3.84
California	45.54 ^b	0.25	(48)	-26.06 ^c	New Jersey	53.88 ^b	0.52	(38)	-12.51 ^c
Colorado	42.78 ^b	0.68	(49)	-30.54 ^c	New Mexico	42.25 ^b	0.96	(50)	-31.39 ^c
Connecticut	51.30 ^b	0.78	(43)	-16.71 ^c	New York	52.87 ^b	0.35	(39)	-14.15 ^c
Delaware	67.27	1.76	(16)	9.23 ^c	North Carolina	74.42 ^b	0.61	(11)	20.84 ^c
D.C.	57.07	2.26	(35)	-7.33 ^c	North Dakota	52.70 ^b	1.76	(40)	-14.43 ^c
Florida	59.25 ^b	0.33	(27)	-3.80	Ohio	72.79 ^b	0.51	(13)	18.20 ^c
Georgia	70.08 ^b	0.65	(14)	13.80 ^c	Oklahoma	78.45 ^b	0.95	(08)	27.39 ^c
Hawaii	46.68 ^b	1.18	(47)	-24.19 ^c	Oregon	56.38 ^b	0.78	(36)	-8.45 ^c
Idaho	48.00 ^b	1.19	(45)	-22.06 ^c	Pennsylvania	63.92 ^b	0.44	(22)	3.79
Illinois	64.18 ^b	0.49	(20)	4.21	Rhode Island	63.93	1.59	(21)	3.81
Indiana	77.29 ^b	0.74	(09)	25.50 ^c	South Carolina	74.87 ^b	0.86	(10)	21.58 ^c
Iowa	63.17	0.90	(23)	2.58	South Dakota	60.03	1.72	(26)	-2.53
Kansas	64.32	0.99	(19)	4.44	Tennessee	86.50 ^b	0.79	(04)	40.45 ^c
Kentucky	94.49 ^b	0.98	(01)	53.44 ^c	Texas	58.64 ^b	0.37	(30)	-4.77
Louisiana	79.07 ^b	0.92	(07)	28.40 ^c	Utah	26.51 ^b	0.77	(51)	-56.95 ^c
Maine	67.65 ^b	1.37	(15)	9.85 ^c	Vermont	61.31	1.98	(25)	-0.45
Maryland	58.88 ^b	0.70	(29)	-4.39	Virginia	64.73 ^b	0.63	(18)	5.11 ^c
Massachusetts	58.02 ^b	0.62	(31)	-5.79 ^c	Washington	55.58 ^b	0.62	(37)	-9.75 ^c
Michigan	66.53 ^b	0.53	(17)	8.03 ^c	West Virginia	82.31 ^b	1.28	(06)	33.65 ^c
Minnesota	51.85 ^b	0.66	(42)	-15.80 ^c	Wisconsin	57.85 ^b	0.65	(34)	-6.06 ^c
Mississippi	92.02 ^b	1.22	(02)	49.42 ^c	Wyoming	48.93 ^b	1.99	(44)	-20.55 ^c
Missouri	74.17 ^b	0.72	(12)	20.44 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 5% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.