

Table 18.14
Myeloma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2009-2011 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.62	0.38	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.46	0.24
	10	0.00	0.00	0.01	0.63	0.38		10	0.00	0.00	0.00	0.47	0.24
	20	0.00	0.01	0.03	0.63	0.38		20	0.00	0.00	0.01	0.47	0.24
	30	0.01	0.03	0.10	0.63	0.38		30	0.00	0.01	0.06	0.47	0.24
	40	0.03	0.10	0.24	0.63	0.38		40	0.01	0.06	0.14	0.47	0.24
	50	0.07	0.22	0.42	0.62	0.39		50	0.05	0.13	0.28	0.46	0.24
	60	0.15	0.37	0.53	0.57	0.38		60	0.09	0.23	0.36	0.42	0.24
	70	0.24	0.42	-	0.46	0.35		70	0.16	0.29	-	0.36	0.22
80	0.24	-	-	0.29	0.27	80	0.16	-	-	0.23	0.16		
White	0	0.00	0.00	0.00	0.55	0.35	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.41	0.32
	10	0.00	0.00	0.00	0.56	0.35		10	0.00	0.00	0.01	0.42	0.33
	20	0.00	0.00	0.03	0.56	0.35		20	0.00	0.01	0.02	0.42	0.33
	30	0.00	0.02	0.08	0.56	0.35		30	0.01	0.02	0.05	0.42	0.33
	40	0.02	0.08	0.20	0.56	0.36		40	0.01	0.05	0.15	0.42	0.34
	50	0.06	0.19	0.37	0.55	0.36		50	0.04	0.14	0.30	0.42	0.35
	60	0.13	0.33	0.48	0.51	0.35		60	0.11	0.27	0.35	0.41	0.35
	70	0.21	0.38	-	0.42	0.33		70	0.19	0.28	-	0.33	0.30
80	0.22	-	-	0.26	0.25	80	0.12	-	-	0.19	0.23		
Black	0	0.00	0.00	0.00	1.19	0.64	Hispanic ^b	0	0.00	0.00	0.00	0.67	0.38
	10	0.00	0.00	0.01	1.21	0.65		10	0.00	0.00	0.01	0.68	0.38
	20	0.00	0.01	0.07	1.21	0.65		20	0.00	0.01	0.03	0.68	0.38
	30	0.01	0.07	0.23	1.22	0.66		30	0.00	0.03	0.10	0.68	0.38
	40	0.06	0.22	0.52	1.22	0.67		40	0.03	0.09	0.23	0.68	0.38
	50	0.16	0.47	0.86	1.20	0.67		50	0.07	0.20	0.41	0.66	0.38
	60	0.33	0.75	1.05	1.12	0.67		60	0.14	0.36	0.55	0.61	0.37
	70	0.48	0.83	-	0.91	0.61		70	0.23	0.44	-	0.51	0.34
80	0.48	-	-	0.59	0.48	80	0.25	-	-	0.33	0.25		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.