


Table 18.19
Myeloma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011

Males

State	Rate	SE	Rank	PD
TOTAL U.S.	4.27	0.03		
High Five States				
D.C.	6.86	0.79	(01)	60.59 ^c
Tennessee	5.10 ^b	0.20	(02)	19.37 ^c
Louisiana	5.02	0.24	(03)	17.36 ^c
Alabama	5.00	0.22	(04)	17.00 ^c
Oregon	4.84	0.23	(05)	13.33
Low Five States				
New Mexico	3.61	0.28	(47)	-15.51 ^c
Nevada	3.44	0.26	(48)	-19.49 ^c
Rhode Island	3.33	0.36	(49)	-22.19 ^c
Hawaii	3.25	0.31	(50)	-23.93 ^c
Vermont	3.14	0.45	(51)	-26.51 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	5.00	0.22	(04)	17.00 ^c	Montana	3.94	0.39	(41)	-7.90
Alaska	4.59	0.76	(15)	7.44	Nebraska	4.14	0.31	(33)	-3.24
Arizona	3.81	0.16	(43)	-10.92	Nevada	3.44	0.26	(48)	-19.49 ^c
Arkansas	4.61	0.26	(13)	7.94	New Hampshire	4.50	0.39	(20)	5.34
California	4.05	0.07	(38)	-5.23	New Jersey	4.10	0.14	(36)	-4.15
Colorado	4.06	0.21	(37)	-5.11	New Mexico	3.61	0.28	(47)	-15.51 ^c
Connecticut	3.78	0.21	(44)	-11.63	New York	3.86 ^b	0.09	(42)	-9.69
Delaware	4.57	0.46	(16)	6.96	North Carolina	4.83 ^b	0.16	(06)	13.10
D.C.	6.86	0.79	(01)	60.59 ^c	North Dakota	4.43	0.52	(25)	3.55
Florida	3.72 ^b	0.08	(46)	-12.86	Ohio	4.48	0.13	(22)	4.89
Georgia	4.46	0.17	(23)	4.35	Oklahoma	4.52	0.23	(18)	5.77
Hawaii	3.25	0.31	(50)	-23.93 ^c	Oregon	4.84	0.23	(05)	13.33
Idaho	4.11	0.35	(35)	-3.91	Pennsylvania	4.21	0.11	(31)	-1.48
Illinois	4.40	0.13	(26)	2.91	Rhode Island	3.33	0.36	(49)	-22.19 ^c
Indiana	4.71	0.19	(11)	10.27	South Carolina	4.73	0.22	(09)	10.63
Iowa	4.35	0.24	(28)	1.67	South Dakota	3.94	0.44	(40)	-7.71
Kansas	4.72	0.27	(10)	10.37	Tennessee	5.10 ^b	0.20	(02)	19.37 ^c
Kentucky	4.46	0.22	(24)	4.25	Texas	4.13	0.10	(34)	-3.33
Louisiana	5.02	0.24	(03)	17.36 ^c	Utah	4.60	0.33	(14)	7.63
Maine	3.73	0.33	(45)	-12.66	Vermont	3.14	0.45	(51)	-26.51 ^c
Maryland	4.57	0.20	(17)	6.91	Virginia	4.77	0.18	(07)	11.56
Massachusetts	4.24	0.17	(30)	-0.69	Washington	4.31	0.18	(29)	0.77
Michigan	4.68	0.14	(12)	9.44	West Virginia	4.39	0.30	(27)	2.80
Minnesota	4.51	0.20	(19)	5.62	Wisconsin	4.73	0.19	(08)	10.71
Mississippi	4.19	0.27	(32)	-2.02	Wyoming	4.01	0.58	(39)	-6.23
Missouri	4.50	0.18	(21)	5.21					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.