


Table 18.20
Myeloma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011

Females

State	Rate	SE	Rank	PD
TOTAL U.S.	2.70	0.02		
High Five States				
D.C.	4.42	0.52	(01)	64.03 ^c
Maryland	3.28 ^b	0.14	(02)	21.58 ^c
Alabama	3.23 ^b	0.15	(03)	19.98 ^c
Mississippi	3.15	0.19	(04)	16.82 ^c
Virginia	3.15 ^b	0.12	(05)	16.80 ^c
Low Five States				
New Mexico	2.24	0.20	(47)	-17.04 ^c
Nevada	2.21	0.19	(48)	-18.00 ^c
Connecticut	2.21 ^b	0.14	(49)	-18.03 ^c
Hawaii	1.86 ^b	0.21	(50)	-30.84 ^c
Alaska	1.59	0.39	(51)	-41.17 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	3.23 ^b	0.15	(03)	19.98 ^c	Montana	2.72	0.30	(27)	0.92
Alaska	1.59	0.39	(51)	-41.17 ^c	Nebraska	2.73	0.22	(24)	1.36
Arizona	2.28 ^b	0.11	(46)	-15.26 ^c	Nevada	2.21	0.19	(48)	-18.00 ^c
Arkansas	2.70	0.17	(29)	0.08	New Hampshire	2.53	0.25	(40)	-6.13
California	2.47 ^b	0.05	(42)	-8.42	New Jersey	2.61	0.10	(32)	-3.04
Colorado	2.35	0.14	(45)	-12.71	New Mexico	2.24	0.20	(47)	-17.04 ^c
Connecticut	2.21 ^b	0.14	(49)	-18.03 ^c	New York	2.60	0.07	(33)	-3.55
Delaware	3.07	0.33	(08)	14.05	North Carolina	3.15 ^b	0.11	(06)	16.78 ^c
D.C.	4.42	0.52	(01)	64.03 ^c	North Dakota	2.95	0.37	(12)	9.53
Florida	2.39 ^b	0.06	(44)	-11.28	Ohio	2.90	0.09	(14)	7.65
Georgia	2.95	0.11	(11)	9.57	Oklahoma	2.77	0.16	(22)	2.87
Hawaii	1.86 ^b	0.21	(50)	-30.84 ^c	Oregon	2.53	0.15	(39)	-6.04
Idaho	2.61	0.25	(31)	-3.03	Pennsylvania	2.79	0.08	(21)	3.37
Illinois	2.72	0.09	(25)	1.01	Rhode Island	2.60	0.27	(34)	-3.64
Indiana	2.75	0.12	(23)	2.18	South Carolina	3.09	0.15	(07)	14.50
Iowa	2.50	0.15	(41)	-7.38	South Dakota	2.83	0.32	(18)	4.79
Kansas	2.91	0.19	(13)	7.91	Tennessee	2.82	0.12	(19)	4.79
Kentucky	2.72	0.14	(26)	0.97	Texas	2.56	0.07	(35)	-4.93
Louisiana	3.01	0.15	(09)	11.66	Utah	2.46	0.21	(43)	-8.70
Maine	2.56	0.23	(36)	-5.13	Vermont	2.83	0.37	(17)	4.87
Maryland	3.28 ^b	0.14	(02)	21.58 ^c	Virginia	3.15 ^b	0.12	(05)	16.80 ^c
Massachusetts	2.55	0.11	(37)	-5.26	Washington	2.54	0.12	(38)	-5.90
Michigan	2.96	0.10	(10)	9.93	West Virginia	2.82	0.20	(20)	4.64
Minnesota	2.71	0.13	(28)	0.57	Wisconsin	2.86	0.13	(16)	6.14
Mississippi	3.15	0.19	(04)	16.82 ^c	Wyoming	2.69	0.43	(30)	-0.08
Missouri	2.87	0.12	(15)	6.48					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.