

Table 19.18
Non-Hodgkin Lymphoma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2009-2011 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.01	0.04	1.91	0.69	Asian/ Pacific Islander	0	0.01	0.01	0.03	1.64	0.67
	10	0.01	0.03	0.08	1.93	0.70		10	0.01	0.03	0.07	1.64	0.68
	20	0.02	0.07	0.17	1.92	0.70		20	0.02	0.06	0.13	1.64	0.68
	30	0.05	0.15	0.35	1.91	0.70		30	0.04	0.10	0.25	1.62	0.68
	40	0.10	0.30	0.70	1.88	0.70		40	0.07	0.21	0.49	1.59	0.68
	50	0.21	0.62	1.20	1.81	0.71		50	0.15	0.43	0.84	1.54	0.67
	60	0.43	1.04	1.55	1.68	0.70		60	0.29	0.71	1.22	1.42	0.66
	70	0.68	1.25	-	1.39	0.67		70	0.45	0.99	-	1.20	0.62
80	0.73	-	-	0.92	0.56	80	0.63	-	-	0.88	0.51		
White	0	0.00	0.02	0.04	2.01	0.73	American Indian/ Alaska Native ^a	0	0.00	0.01	0.02	1.31	0.47
	10	0.01	0.03	0.08	2.02	0.74		10	0.01	0.02	0.06	1.32	0.48
	20	0.02	0.07	0.17	2.01	0.74		20	0.01	0.06	0.13	1.31	0.48
	30	0.05	0.15	0.36	2.00	0.74		30	0.05	0.12	0.30	1.32	0.48
	40	0.10	0.31	0.74	1.97	0.74		40	0.07	0.26	0.55	1.29	0.48
	50	0.22	0.65	1.27	1.90	0.74		50	0.19	0.49	0.83	1.26	0.50
	60	0.45	1.11	1.64	1.76	0.74		60	0.32	0.67	0.98	1.13	0.51
	70	0.72	1.31	-	1.45	0.71		70	0.40	0.73	-	0.90	0.50
80	0.77	-	-	0.95	0.59	80	0.44	-	-	0.66	0.39		
Black	0	0.00	0.01	0.04	1.17	0.40	Hispanic ^b	0	0.01	0.01	0.03	2.10	0.73
	10	0.01	0.04	0.09	1.19	0.41		10	0.01	0.03	0.07	2.11	0.74
	20	0.03	0.08	0.18	1.18	0.41		20	0.02	0.06	0.16	2.10	0.74
	30	0.06	0.15	0.31	1.16	0.41		30	0.04	0.14	0.33	2.09	0.74
	40	0.09	0.25	0.54	1.12	0.40		40	0.10	0.29	0.68	2.06	0.74
	50	0.17	0.46	0.79	1.06	0.40		50	0.20	0.60	1.21	1.99	0.73
	60	0.32	0.68	0.90	0.97	0.39		60	0.41	1.05	1.64	1.85	0.72
	70	0.42	0.68	-	0.76	0.35		70	0.69	1.33	-	1.56	0.68
80	0.36	-	-	0.46	0.27	80	0.78	-	-	1.06	0.55		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.