


Table 19.22
Non-Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011

Males and Females

State	Rate	SE	Rank	PD
TOTAL U.S.	6.29	0.02		
High Five States				
West Virginia	7.17 ^b	0.25	(01)	14.07
Ohio	7.08 ^b	0.10	(02)	12.66
Minnesota	7.04 ^b	0.16	(03)	11.98
Kentucky	6.99 ^b	0.18	(04)	11.12
Michigan	6.98 ^b	0.11	(05)	11.05
Low Five States				
Hawaii	5.62	0.27	(47)	-10.56
Nevada	5.58	0.22	(48)	-11.19
North Dakota	5.54	0.38	(49)	-11.89
New Mexico	5.19 ^b	0.22	(50)	-17.38 ^c
D.C.	5.03	0.42	(51)	-20.01 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	6.43	0.16	(22)	2.31	Montana	6.00	0.32	(31)	-4.62
Alaska	6.30	0.57	(23)	0.18	Nebraska	6.74	0.26	(15)	7.16
Arizona	5.93	0.13	(37)	-5.67	Nevada	5.58	0.22	(48)	-11.19
Arkansas	6.78	0.21	(13)	7.80	New Hampshire	5.78	0.28	(42)	-8.00
California	6.03 ^b	0.06	(28)	-4.15	New Jersey	6.00	0.11	(32)	-4.64
Colorado	5.68 ^b	0.16	(45)	-9.69	New Mexico	5.19 ^b	0.22	(50)	-17.38 ^c
Connecticut	5.85	0.17	(40)	-6.89	New York	5.99 ^b	0.08	(33)	-4.78
Delaware	6.00	0.35	(30)	-4.52	North Carolina	5.95	0.11	(36)	-5.40
D.C.	5.03	0.42	(51)	-20.01 ^c	North Dakota	5.54	0.38	(49)	-11.89
Florida	5.95 ^b	0.07	(35)	-5.30	Ohio	7.08 ^b	0.10	(02)	12.66
Georgia	5.63 ^b	0.12	(46)	-10.54	Oklahoma	6.96 ^b	0.19	(06)	10.77
Hawaii	5.62	0.27	(47)	-10.56	Oregon	6.48	0.18	(20)	3.07
Idaho	6.52	0.30	(19)	3.70	Pennsylvania	6.86 ^b	0.09	(10)	9.15
Illinois	6.45	0.10	(21)	2.51	Rhode Island	5.70	0.31	(44)	-9.38
Indiana	6.95 ^b	0.14	(07)	10.51	South Carolina	5.87	0.16	(38)	-6.71
Iowa	6.81	0.19	(12)	8.23	South Dakota	6.24	0.36	(25)	-0.71
Kansas	6.93	0.21	(08)	10.29	Tennessee	6.76	0.14	(14)	7.51
Kentucky	6.99 ^b	0.18	(04)	11.12	Texas	6.02 ^b	0.08	(29)	-4.21
Louisiana	6.57	0.17	(17)	4.56	Utah	5.81	0.24	(41)	-7.66
Maine	6.89	0.29	(09)	9.54	Vermont	6.28	0.42	(24)	-0.18
Maryland	5.75 ^b	0.14	(43)	-8.60	Virginia	6.16	0.13	(26)	-2.05
Massachusetts	5.86	0.13	(39)	-6.87	Washington	6.63	0.14	(16)	5.52
Michigan	6.98 ^b	0.11	(05)	11.05	West Virginia	7.17 ^b	0.25	(01)	14.07
Minnesota	7.04 ^b	0.16	(03)	11.98	Wisconsin	6.82 ^b	0.15	(11)	8.46
Mississippi	5.99	0.20	(34)	-4.80	Wyoming	6.11	0.48	(27)	-2.85
Missouri	6.55	0.14	(18)	4.10					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.