


Table 19.23
Non-Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011

Males

State	Rate	SE	Rank	PD
TOTAL U.S.	8.07	0.03		
High Five States				
Minnesota	9.39 ^b	0.29	(01)	16.38 ^c
Ohio	9.19 ^b	0.19	(02)	13.92
Kansas	9.18	0.38	(03)	13.72
Maine	9.11	0.52	(04)	12.91
Indiana	9.07 ^b	0.26	(05)	12.36
Low Five States				
Wyoming	7.31	0.81	(47)	-9.35
Nevada	6.91	0.36	(48)	-14.35
North Dakota	6.70	0.63	(49)	-16.98 ^c
D.C.	6.49	0.76	(50)	-19.59 ^c
New Mexico	6.21 ^b	0.37	(51)	-23.06 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	8.21	0.29	(22)	1.79	Montana	7.78	0.55	(28)	-3.54
Alaska	8.18	0.98	(24)	1.31	Nebraska	8.30	0.44	(19)	2.91
Arizona	7.32	0.22	(46)	-9.33	Nevada	6.91	0.36	(48)	-14.35
Arkansas	8.34	0.35	(17)	3.41	New Hampshire	7.40	0.50	(43)	-8.30
California	7.73	0.10	(30)	-4.26	New Jersey	7.48	0.20	(39)	-7.27
Colorado	7.41	0.29	(42)	-8.15	New Mexico	6.21 ^b	0.37	(51)	-23.06 ^c
Connecticut	7.32	0.29	(45)	-9.31	New York	7.71	0.13	(31)	-4.45
Delaware	7.45	0.60	(40)	-7.70	North Carolina	7.48	0.20	(38)	-7.24
D.C.	6.49	0.76	(50)	-19.59 ^c	North Dakota	6.70	0.63	(49)	-16.98 ^c
Florida	7.57 ^b	0.12	(35)	-6.23	Ohio	9.19 ^b	0.19	(02)	13.92
Georgia	7.51	0.22	(36)	-6.95	Oklahoma	8.83	0.33	(10)	9.41
Hawaii	7.42	0.47	(41)	-8.01	Oregon	8.38	0.30	(16)	3.79
Idaho	7.84	0.49	(26)	-2.83	Pennsylvania	8.85 ^b	0.17	(08)	9.71
Illinois	8.30	0.18	(20)	2.84	Rhode Island	7.75	0.56	(29)	-4.00
Indiana	9.07 ^b	0.26	(05)	12.36	South Carolina	7.70	0.29	(32)	-4.63
Iowa	8.85	0.34	(09)	9.66	South Dakota	7.63	0.61	(34)	-5.39
Kansas	9.18	0.38	(03)	13.72	Tennessee	8.92	0.26	(06)	10.52
Kentucky	8.60	0.31	(13)	6.54	Texas	7.79	0.14	(27)	-3.45
Louisiana	8.64	0.31	(12)	7.12	Utah	7.32	0.41	(44)	-9.29
Maine	9.11	0.52	(04)	12.91	Vermont	8.34	0.75	(18)	3.30
Maryland	7.49	0.25	(37)	-7.23	Virginia	8.19	0.23	(23)	1.49
Massachusetts	7.68	0.23	(33)	-4.85	Washington	8.56	0.25	(14)	6.04
Michigan	8.89 ^b	0.20	(07)	10.19	West Virginia	8.43	0.42	(15)	4.48
Minnesota	9.39 ^b	0.29	(01)	16.38 ^c	Wisconsin	8.73	0.26	(11)	8.25
Mississippi	7.96	0.37	(25)	-1.35	Wyoming	7.31	0.81	(47)	-9.35
Missouri	8.27	0.25	(21)	2.52					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
^b Difference between state rate and total U.S. rate is statistically significant (p<=.0002).
^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
SE Standard error of the rate.
PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.