

Table 23.12
Cancer of the Prostate (Invasive)

Age-Adjusted SEER Incidence Rates^a
By Registry, Race and Age

	All Races			Whites			Blacks		
	All Ages	Ages <65	Ages 65+	All Ages	Ages <65	Ages 65+	All Ages	Ages <65	Ages 65+
<u>SEER Incidence Rates^a, 2007-2011</u>									
California	136.40	50.66	729.08	132.40	49.69	704.16	197.56	95.79	900.97
Greater Bay Area	147.16	56.58	773.23	155.35	60.24	812.77	203.83	97.72	937.27
San Francisco-Oakland	142.91	55.68	745.95	148.32	57.95	773.00	206.15	97.93	954.18
San Jose-Monterey	155.45	58.34	826.78	167.67	64.23	882.62	185.94	95.83	808.81
Los Angeles	130.63	48.30	699.74	121.29	44.81	649.90	199.42	98.90	894.20
Greater California	135.19	49.58	726.96	130.02	48.42	694.02	193.08	92.10	891.05
Connecticut	152.39	65.23	754.81	143.76	60.13	721.82	220.32	102.62	1033.88
Detroit	190.97	78.18	970.61	170.69	66.31	892.13	257.36	119.01	1213.69
Georgia	160.98	67.42	807.68	137.20	54.84	706.55	249.01	106.32	1235.28
Atlanta	183.28	77.79	912.48	156.07	63.83	793.66	261.86	112.36	1295.21
Rural Georgia	155.13	63.39	789.28	132.37	49.72	703.70	206.02	88.20	1020.46
Greater Georgia	152.00	62.49	770.73	131.13	51.52	681.46	242.19	102.45	1208.14
Hawaii	113.95	35.04	659.36	115.60	41.91	624.97	190.38	109.07	752.43
Iowa	133.32	52.06	695.02	129.42	50.43	675.43	177.85	73.13	901.76
Kentucky	128.80	51.29	664.60	121.49	46.14	642.38	179.04	86.74	817.04
Louisiana	168.89	68.46	863.09	151.50	59.03	790.73	230.69	97.14	1153.86
New Jersey	166.12	68.89	838.19	155.89	64.42	788.18	222.70	99.09	1077.11
New Mexico	124.38	46.85	660.29	124.95	47.93	657.37	133.15	63.06	617.67
Seattle-Puget Sound	154.59	58.62	817.96	154.61	58.55	818.64	207.22	99.39	952.54
Utah	170.60	64.35	905.09	170.72	65.11	900.75	181.24	77.86	895.90
9 SEER Areas ^b	154.18	61.34	795.89	148.67	58.37	772.83	238.23	108.46	1135.24
11 SEER Areas ^b	149.14	58.34	776.80	144.24	55.96	754.47	227.10	106.10	1063.53
13 SEER Areas ^b	149.00	58.28	776.09	144.19	55.94	754.23	226.83	105.87	1062.93
18 SEER Areas ^b	147.77	57.88	769.13	139.93	54.24	732.20	223.87	101.18	1071.93

^a Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130)

^b The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 11 areas comprise the SEER 9 areas plus San Jose-Monterey and Los Angeles.

The SEER 13 areas comprise the SEER 11 areas plus the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

- Statistic not shown. Rate based on less than 16 cases for the time interval.