

Table 26.10
Cancer of the Thyroid (Invasive)
SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010
Survival Time																				
1-year	94.6	92.5	94.8	94.6	93.3	93.7	91.8	97.2	96.5	96.4	96.1	95.0	95.6	96.7	96.9	96.4	97.4	96.8	98.3	97.8
2-year	92.5	92.0	93.7	93.2	91.8	93.4	90.9	95.4	96.2	95.1	95.5	94.8	95.3	95.1	95.4	96.1	96.6	96.1	98.2	
3-year	91.5	90.8	93.5	92.4	91.6	92.2	90.9	94.7	96.2	95.1	94.2	94.8	94.2	94.9	95.4	96.1	96.6	96.1		
4-year	90.5	90.4	92.1	91.8	91.4	91.8	89.5	93.6	96.2	95.1	93.6	94.5	93.5	94.4	95.4	96.1	96.6			
5-year	89.9	90.2	91.6	91.0	91.1	89.9	88.3	93.6	96.2	94.0	92.4	94.3	93.2	94.1	95.4	95.8				
6-year	89.6	89.8	91.1	90.6	90.3	89.9	88.0	93.5	95.8	94.0	92.0	93.8	91.7	94.0	95.4					
7-year	89.4	89.3	90.0	90.4	88.7	89.6	88.0	93.3	95.4	93.6	91.9	92.3	91.7	92.8						
8-year	89.3	89.3	89.6	90.1	88.7	88.6	87.9	93.3	95.3	93.6	91.1	91.3	91.7							
9-year	88.8	88.6	88.5	89.9	88.7	86.8	86.9	93.3	93.1	93.6	89.8	90.8								
10-year	88.3	87.8	88.4	89.7	87.4	86.5	86.9	93.2	92.6	93.6	89.5									
11-year	87.5	87.2	88.4	89.5	86.3	85.0	86.6	93.2	92.6	93.6										
12-year	87.5	86.4	88.3	88.8	86.0	84.3	86.6	93.0	92.6											
13-year	87.3	86.2	87.7	88.2	86.0	83.3	86.6	93.0												
14-year	87.3	86.2	87.7	87.9	85.9	82.9	86.6													
15-year	86.7	85.4	87.7	87.3	85.9	82.9														
16-year	86.5	85.3	87.7	86.9	85.9															
17-year	86.5	84.8	87.7	86.9																
18-year	86.5	84.5	87.7																	
19-year	86.5	84.5	87.7																	
20-year	86.5	84.5	87.7																	

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).