

Table 26.12
Cancer of the Thyroid (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Both Sexes, 2009-2011 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.02	0.09	1.13	0.06	Asian/ Pacific Islander	0	0.00	0.02	0.08	1.21	0.12
	10	0.02	0.09	0.25	1.14	0.06		10	0.02	0.08	0.24	1.22	0.12
	20	0.08	0.23	0.44	1.12	0.06		20	0.06	0.22	0.42	1.20	0.12
	30	0.16	0.37	0.59	1.06	0.06		30	0.16	0.36	0.59	1.15	0.12
	40	0.21	0.44	0.66	0.91	0.07		40	0.20	0.43	0.66	1.00	0.12
	50	0.24	0.46	0.64	0.72	0.07		50	0.23	0.46	0.68	0.80	0.12
	60	0.24	0.43	0.50	0.51	0.06		60	0.24	0.46	0.55	0.59	0.12
	70	0.21	0.29	-	0.31	0.06		70	0.24	0.34	-	0.38	0.11
80	0.11	-	-	0.13	0.05	80	0.12	-	-	0.17	0.09		
White	0	0.00	0.02	0.11	1.18	0.06	American Indian/ Alaska Native ^a	0	0.00	0.01	0.06	0.75	0.05
	10	0.02	0.11	0.28	1.19	0.06		10	0.01	0.06	0.14	0.76	0.05
	20	0.09	0.26	0.47	1.18	0.06		20	0.04	0.12	0.23	0.75	0.05
	30	0.17	0.39	0.63	1.10	0.06		30	0.08	0.19	0.31	0.72	0.05
	40	0.22	0.46	0.69	0.94	0.06		40	0.11	0.23	0.37	0.66	0.06
	50	0.25	0.48	0.66	0.74	0.06		50	0.12	0.26	0.43	0.56	0.06
	60	0.25	0.44	0.51	0.52	0.06		60	0.15	0.34	0.40	0.47	0.06
	70	0.22	0.30	-	0.31	0.06		70	0.21	0.28	-	0.37	0.06
80	0.11	-	-	0.13	0.05	80	0.10	-	-	0.21	0.04		
Black	0	0.00	0.01	0.03	0.64	0.05	Hispanic ^b	0	0.00	0.02	0.08	1.04	0.08
	10	0.01	0.03	0.11	0.66	0.06		10	0.02	0.08	0.20	1.05	0.09
	20	0.03	0.11	0.23	0.65	0.06		20	0.06	0.18	0.34	1.04	0.09
	30	0.08	0.20	0.34	0.64	0.06		30	0.12	0.28	0.48	0.98	0.09
	40	0.12	0.27	0.42	0.57	0.06		40	0.16	0.36	0.57	0.87	0.09
	50	0.15	0.31	0.41	0.46	0.06		50	0.20	0.42	0.61	0.72	0.09
	60	0.18	0.29	0.33	0.34	0.06		60	0.23	0.43	0.52	0.55	0.08
	70	0.13	0.18	-	0.20	0.05		70	0.22	0.32	-	0.35	0.08
80	0.07	-	-	0.09	0.05	80	0.13	-	-	0.17	0.06		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.