

Table 26.14  
Cancer of the Thyroid (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,  
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and  
Lifetime Risk of Dying from Cancer Given Alive at Current Age  
Females, 2009-2011 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.03	0.16	1.68	0.07	Asian/ Pacific Islander	0	0.00	0.03	0.14	1.77	0.16
	10	0.03	0.16	0.42	1.69	0.07		10	0.03	0.14	0.38	1.78	0.16
	20	0.13	0.39	0.72	1.67	0.07		20	0.11	0.35	0.67	1.76	0.16
	30	0.26	0.59	0.92	1.54	0.07		30	0.25	0.56	0.89	1.65	0.16
	40	0.33	0.67	0.97	1.29	0.07		40	0.32	0.64	0.96	1.41	0.16
	50	0.35	0.66	0.89	0.99	0.07		50	0.33	0.65	0.94	1.11	0.16
	60	0.33	0.56	0.65	0.67	0.07		60	0.33	0.63	0.74	0.80	0.16
	70	0.26	0.36	-	0.38	0.07		70	0.31	0.43	-	0.50	0.15
80	0.13	-	-	0.15	0.05	80	0.14	-	-	0.22	0.12		
White	0	0.00	0.04	0.19	1.77	0.07	American Indian/ Alaska Native <sup>a</sup>	0	0.00	0.02	0.09	1.15	0.06
	10	0.03	0.19	0.47	1.79	0.07		10	0.02	0.09	0.22	1.16	0.06
	20	0.15	0.44	0.78	1.75	0.07		20	0.07	0.20	0.38	1.14	0.06
	30	0.29	0.63	0.98	1.61	0.07		30	0.13	0.31	0.45	1.08	0.06
	40	0.35	0.71	1.02	1.34	0.07		40	0.19	0.33	0.51	0.97	0.06
	50	0.36	0.68	0.91	1.01	0.07		50	0.15	0.33	0.58	0.81	0.06
	60	0.33	0.57	0.66	0.68	0.07		60	0.19	0.45	0.57	0.69	0.06
	70	0.27	0.37	-	0.38	0.06		70	0.29	0.42	-	0.56	0.06
80	0.13	-	-	0.15	0.05	80	0.17	-	-	0.36	0.05		
Black	0	0.00	0.01	0.05	1.00	0.07	Hispanic <sup>b</sup>	0	0.00	0.03	0.15	1.62	0.11
	10	0.01	0.05	0.19	1.01	0.07		10	0.03	0.15	0.36	1.64	0.11
	20	0.04	0.18	0.37	1.01	0.07		20	0.12	0.33	0.60	1.61	0.11
	30	0.13	0.33	0.55	0.97	0.07		30	0.21	0.48	0.78	1.50	0.11
	40	0.19	0.42	0.65	0.85	0.07		40	0.27	0.58	0.88	1.30	0.11
	50	0.23	0.47	0.61	0.68	0.07		50	0.31	0.62	0.89	1.04	0.11
	60	0.26	0.40	0.46	0.48	0.07		60	0.32	0.60	0.71	0.76	0.10
	70	0.17	0.23	-	0.25	0.07		70	0.30	0.42	-	0.47	0.10
80	0.09	-	-	0.11	0.06	80	0.15	-	-	0.21	0.07		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

<sup>a</sup> Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

<sup>b</sup> Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.