


Table 26.19  
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2007-2011

Males

State	Rate	SE	Rank	PD
TOTAL U.S.	0.51	0.01		
High Five States				
Utah	0.68	0.12	(01)	33.05 <sup>c</sup>
New Hampshire	0.66	0.15	(02)	30.34 <sup>c</sup>
Kansas	0.64	0.10	(03)	25.79 <sup>c</sup>
Colorado	0.63	0.08	(04)	22.85 <sup>c</sup>
Idaho	0.61	0.14	(05)	20.45 <sup>c</sup>
Low Five States				
Arkansas	0.41	0.08	(36)	-19.86 <sup>c</sup>
Illinois	0.40	0.04	(37)	-20.63 <sup>c</sup>
South Carolina	0.40	0.06	(38)	-22.13 <sup>c</sup>
New Mexico	0.39	0.09	(39)	-22.56 <sup>c</sup>
Mississippi	0.35	0.08	(40)	-30.87 <sup>c</sup>

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	0.51	0.07	(21)	-0.55	Montana	-	-	(-)	-
Alaska	-	-	(-)	-	Nebraska	0.55	0.11	(14)	7.27
Arizona	0.53	0.06	(17)	4.97	Nevada	0.44	0.08	(31)	-14.01
Arkansas	0.41	0.08	(36)	-19.86 <sup>c</sup>	New Hampshire	0.66	0.15	(02)	30.34 <sup>c</sup>
California	0.55	0.03	(13)	7.74	New Jersey	0.53	0.05	(18)	4.01
Colorado	0.63	0.08	(04)	22.85 <sup>c</sup>	New Mexico	0.39	0.09	(39)	-22.56 <sup>c</sup>
Connecticut	0.47	0.07	(29)	-8.20	New York	0.54	0.04	(15)	5.72
Delaware	-	-	(-)	-	North Carolina	0.49	0.05	(23)	-3.07
D.C.	-	-	(-)	-	North Dakota	-	-	(-)	-
Florida	0.44	0.03	(30)	-13.18	Ohio	0.57	0.05	(07)	12.81
Georgia	0.42	0.05	(35)	-17.30 <sup>c</sup>	Oklahoma	0.57	0.08	(10)	11.02
Hawaii	-	-	(-)	-	Oregon	0.52	0.08	(20)	2.64
Idaho	0.61	0.14	(05)	20.45 <sup>c</sup>	Pennsylvania	0.50	0.04	(22)	-2.56
Illinois	0.40	0.04	(37)	-20.63 <sup>c</sup>	Rhode Island	-	-	(-)	-
Indiana	0.47	0.06	(28)	-7.57	South Carolina	0.40	0.06	(38)	-22.13 <sup>c</sup>
Iowa	0.56	0.09	(12)	10.46	South Dakota	-	-	(-)	-
Kansas	0.64	0.10	(03)	25.79 <sup>c</sup>	Tennessee	0.48	0.06	(26)	-5.41
Kentucky	0.49	0.07	(25)	-4.46	Texas	0.56	0.04	(11)	10.85
Louisiana	0.42	0.07	(34)	-16.73 <sup>c</sup>	Utah	0.68	0.12	(01)	33.05 <sup>c</sup>
Maine	-	-	(-)	-	Vermont	-	-	(-)	-
Maryland	0.43	0.06	(32)	-15.95 <sup>c</sup>	Virginia	0.57	0.06	(08)	12.34
Massachusetts	0.58	0.06	(06)	13.84	Washington	0.57	0.06	(09)	11.54
Michigan	0.47	0.05	(27)	-7.28	West Virginia	0.43	0.09	(33)	-16.41 <sup>c</sup>
Minnesota	0.54	0.07	(16)	5.12	Wisconsin	0.49	0.06	(24)	-3.89
Mississippi	0.35	0.08	(40)	-30.87 <sup>c</sup>	Wyoming	-	-	(-)	-
Missouri	0.53	0.06	(19)	3.28					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).  
<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant (p<=.0002).  
<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 15% or more.  
SE Standard error of the rate.  
PD Percent difference between state rate and total U.S. rate.  
- Statistic not shown. Rate based on less than 16 cases for the time interval.