


Table 26.20
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2007-2011

Females				
State	Rate	SE	Rank	PD
TOTAL U.S.	0.51	0.01		
High Five States				
Vermont	1.02	0.23	(01)	101.48 ^c
Hawaii	0.89	0.15	(02)	75.47 ^c
Idaho	0.71	0.13	(03)	40.59 ^c
North Dakota	0.65	0.18	(04)	28.67 ^c
California	0.65 ^b	0.03	(05)	28.39 ^c
Low Five States				
Iowa	0.40	0.06	(42)	-20.48 ^c
South Carolina	0.40	0.05	(43)	-21.12 ^c
Utah	0.39	0.09	(44)	-22.19 ^c
Nebraska	0.38	0.08	(45)	-24.35 ^c
Georgia	0.36 ^b	0.04	(46)	-28.45 ^c

State	Rate	SE	Rank	PD	State	Rate	SE	Rank	PD
Alabama	0.41	0.05	(40)	-18.50 ^c	Montana	-	-	(-)	-
Alaska	-	-	(-)	-	Nebraska	0.38	0.08	(45)	-24.35 ^c
Arizona	0.45	0.05	(33)	-10.23	Nevada	0.47	0.08	(28)	-7.44
Arkansas	0.55	0.08	(10)	7.87	New Hampshire	0.45	0.11	(32)	-10.18
California	0.65 ^b	0.03	(05)	28.39 ^c	New Jersey	0.46	0.04	(31)	-9.57
Colorado	0.50	0.06	(21)	-0.89	New Mexico	0.58	0.10	(08)	13.69
Connecticut	0.44	0.06	(34)	-12.88	New York	0.52	0.03	(19)	3.49
Delaware	0.61	0.14	(07)	19.92 ^c	North Carolina	0.48	0.04	(24)	-4.56
D.C.	-	-	(-)	-	North Dakota	0.65	0.18	(04)	28.67 ^c
Florida	0.42	0.02	(38)	-16.12 ^c	Ohio	0.47	0.04	(26)	-6.80
Georgia	0.36 ^b	0.04	(46)	-28.45 ^c	Oklahoma	0.44	0.06	(35)	-13.37
Hawaii	0.89	0.15	(02)	75.47 ^c	Oregon	0.53	0.07	(15)	5.05
Idaho	0.71	0.13	(03)	40.59 ^c	Pennsylvania	0.53	0.03	(14)	5.14
Illinois	0.53	0.04	(18)	3.94	Rhode Island	0.40	0.10	(41)	-20.43 ^c
Indiana	0.48	0.05	(23)	-4.49	South Carolina	0.40	0.05	(43)	-21.12 ^c
Iowa	0.40	0.06	(42)	-20.48 ^c	South Dakota	-	-	(-)	-
Kansas	0.46	0.07	(30)	-9.10	Tennessee	0.47	0.05	(27)	-7.09
Kentucky	0.53	0.06	(17)	4.32	Texas	0.54	0.03	(13)	6.31
Louisiana	0.50	0.06	(22)	-2.24	Utah	0.39	0.09	(44)	-22.19 ^c
Maine	0.54	0.11	(12)	7.40	Vermont	1.02	0.23	(01)	101.48 ^c
Maryland	0.42	0.05	(39)	-17.67 ^c	Virginia	0.43	0.04	(37)	-14.77
Massachusetts	0.52	0.05	(20)	3.40	Washington	0.56	0.06	(09)	10.04
Michigan	0.46	0.04	(29)	-8.53	West Virginia	0.55	0.09	(11)	7.63
Minnesota	0.48	0.06	(25)	-5.87	Wisconsin	0.61	0.06	(06)	21.00 ^c
Mississippi	0.43	0.07	(36)	-14.31	Wyoming	-	-	(-)	-
Missouri	0.53	0.05	(16)	4.72					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.