


Table 2.18
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2008-2012

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	171.22	0.10		
High Five States				
Kentucky	204.37 ^b	0.94	01(01,01)	19.36 ^c
Mississippi	199.87 ^b	1.14	02(02,04)	16.74 ^c
West Virginia	197.63 ^b	1.31	03(02,05)	15.43 ^c
Louisiana	196.85 ^b	0.93	04(02,05)	14.97 ^c
Arkansas	194.40 ^b	1.09	05(03,07)	13.54 ^c
Low Five States				
New Mexico	151.03 ^b	1.18	47(46,49)	-11.79 ^c
Arizona	150.85 ^b	0.66	48(47,48)	-11.90 ^c
Colorado	147.79 ^b	0.81	49(48,49)	-13.68 ^c
Hawaii	139.29 ^b	1.34	50(50,50)	-18.65 ^c
Utah	127.63 ^b	1.11	51(51,51)	-25.46 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	191.17 ^b	0.85	07(05,09)	11.66 ^c	Montana	160.42 ^b	1.66	41(36,45)	-6.30 ^c
Alaska	178.21	2.89	19(11,32)	4.08	Nebraska	165.96 ^b	1.29	35(32,40)	-3.07
Arizona	150.85 ^b	0.66	48(47,48)	-11.90 ^c	Nevada	172.38	1.17	26(20,33)	0.68
Arkansas	194.40 ^b	1.09	05(03,07)	13.54 ^c	New Hampshire	172.75	1.54	23(19,34)	0.90
California	155.15 ^b	0.30	46(44,46)	-9.38 ^c	New Jersey	167.60 ^b	0.59	34(32,36)	-2.11
Colorado	147.79 ^b	0.81	49(48,49)	-13.68 ^c	New Mexico	151.03 ^b	1.18	47(46,49)	-11.79 ^c
Connecticut	159.92 ^b	0.88	43(40,45)	-6.60 ^c	New York	162.28 ^b	0.39	40(38,43)	-5.22 ^c
Delaware	181.95 ^b	1.89	15(10,20)	6.27 ^c	North Carolina	176.18 ^b	0.60	20(19,22)	2.90
D.C.	186.97 ^b	2.57	10(05,17)	9.20 ^c	North Dakota	158.57 ^b	2.01	45(37,46)	-7.38 ^c
Florida	163.18 ^b	0.36	39(37,41)	-4.69	Ohio	186.92 ^b	0.53	11(09,12)	9.17 ^c
Georgia	173.17	0.64	22(20,30)	1.14	Oklahoma	190.64 ^b	0.97	08(05,10)	11.34 ^c
Hawaii	139.29 ^b	1.34	50(50,50)	-18.65 ^c	Oregon	172.43	0.90	25(20,32)	0.71
Idaho	158.72 ^b	1.43	44(39,46)	-7.30 ^c	Pennsylvania	179.66 ^b	0.48	17(15,19)	4.93
Illinois	178.86 ^b	0.52	18(15,20)	4.46	Rhode Island	172.05	1.68	28(19,34)	0.49
Indiana	188.26 ^b	0.74	09(08,11)	9.95 ^c	South Carolina	183.28 ^b	0.86	14(11,16)	7.05 ^c
Iowa	171.32	0.97	30(21,33)	0.06	South Dakota	165.35	1.88	36(30,43)	-3.43
Kansas	170.48	1.06	31(22,34)	-0.43	Tennessee	193.18 ^b	0.75	06(05,08)	12.83 ^c
Kentucky	204.37 ^b	0.94	01(01,01)	19.36 ^c	Texas	164.57 ^b	0.39	37(35,39)	-3.88
Louisiana	196.85 ^b	0.93	04(02,05)	14.97 ^c	Utah	127.63 ^b	1.11	51(51,51)	-25.46 ^c
Maine	183.33 ^b	1.48	13(10,18)	7.08 ^c	Vermont	173.72	2.18	21(17,34)	1.46
Maryland	171.75	0.77	29(21,33)	0.31	Virginia	172.55	0.66	24(20,31)	0.78
Massachusetts	170.30	0.68	32(26,34)	-0.53	Washington	169.64	0.71	33(27,35)	-0.92
Michigan	179.95 ^b	0.57	16(14,19)	5.10 ^c	West Virginia	197.63 ^b	1.31	03(02,05)	15.43 ^c
Minnesota	164.03 ^b	0.76	38(35,41)	-4.20	Wisconsin	172.32	0.74	27(21,32)	0.64
Mississippi	199.87 ^b	1.14	02(02,04)	16.74 ^c	Wyoming	160.36 ^b	2.38	42(35,46)	-6.34 ^c
Missouri	184.13 ^b	0.74	12(11,15)	7.54 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.