


Table 2.19
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2008-2012

Males

| State | Rate | SE | Rank(CI) ^d | PD |
|------------------|---------------------|------|-----------------------|---------------------|
| TOTAL U.S. | 207.86 | 0.17 | | |
| High Five States | | | | |
| Mississippi | 260.36 ^b | 2.05 | 01(01,02) | 25.26 ^c |
| Kentucky | 253.64 ^b | 1.62 | 02(01,03) | 22.03 ^c |
| Louisiana | 247.35 ^b | 1.62 | 03(02,07) | 19.00 ^c |
| Alabama | 246.84 ^b | 1.52 | 04(03,07) | 18.76 ^c |
| Arkansas | 246.48 ^b | 1.88 | 05(02,07) | 18.58 ^c |
| Low Five States | | | | |
| New Mexico | 181.02 ^b | 1.96 | 47(44,48) | -12.91 ^c |
| Arizona | 180.04 ^b | 1.08 | 48(46,48) | -13.38 ^c |
| Colorado | 173.84 ^b | 1.35 | 49(48,50) | -16.37 ^c |
| Hawaii | 171.73 ^b | 2.22 | 50(49,50) | -17.38 ^c |
| Utah | 153.02 ^b | 1.84 | 51(51,51) | -26.38 ^c |

| State | Rate | SE | Rank(CI) ^d | PD | State | Rate | SE | Rank(CI) ^d | PD |
|---------------|---------------------|------|-----------------------|---------------------|----------------|---------------------|------|-----------------------|---------------------|
| Alabama | 246.84 ^b | 1.52 | 04(03,07) | 18.76 ^c | Montana | 188.46 ^b | 2.68 | 44(39,47) | -9.33 ^c |
| Alaska | 211.37 | 4.81 | 23(12,38) | 1.69 | Nebraska | 200.86 | 2.15 | 35(27,40) | -3.36 |
| Arizona | 180.04 ^b | 1.08 | 48(46,48) | -13.38 ^c | Nevada | 201.92 | 1.91 | 32(26,39) | -2.86 |
| Arkansas | 246.48 ^b | 1.88 | 05(02,07) | 18.58 ^c | New Hampshire | 208.30 | 2.59 | 26(20,35) | 0.22 |
| California | 183.36 ^b | 0.49 | 46(44,47) | -11.78 ^c | New Jersey | 198.99 ^b | 1.00 | 36(33,40) | -4.26 |
| Colorado | 173.84 ^b | 1.35 | 49(48,50) | -16.37 ^c | New Mexico | 181.02 ^b | 1.96 | 47(44,48) | -12.91 ^c |
| Connecticut | 192.16 ^b | 1.49 | 42(39,45) | -7.55 ^c | New York | 193.77 ^b | 0.66 | 41(39,43) | -6.78 ^c |
| Delaware | 218.13 | 3.18 | 18(12,25) | 4.94 | North Carolina | 222.23 ^b | 1.05 | 15(12,17) | 6.91 ^c |
| D.C. | 227.13 ^b | 4.48 | 12(08,21) | 9.27 ^c | North Dakota | 198.06 | 3.39 | 37(26,44) | -4.72 |
| Florida | 197.14 ^b | 0.59 | 38(35,40) | -5.15 ^c | Ohio | 228.19 ^b | 0.91 | 11(10,13) | 9.78 ^c |
| Georgia | 218.19 ^b | 1.15 | 17(14,22) | 4.97 | Oklahoma | 233.58 ^b | 1.65 | 08(08,11) | 12.37 ^c |
| Hawaii | 171.73 ^b | 2.22 | 50(49,50) | -17.38 ^c | Oregon | 203.58 | 1.47 | 31(26,36) | -2.06 |
| Idaho | 189.34 ^b | 2.34 | 43(39,46) | -8.91 ^c | Pennsylvania | 218.51 ^b | 0.81 | 16(15,20) | 5.13 ^c |
| Illinois | 215.90 ^b | 0.89 | 20(16,22) | 3.87 | Rhode Island | 216.12 | 2.91 | 19(13,27) | 3.98 |
| Indiana | 232.43 ^b | 1.27 | 10(08,11) | 11.82 ^c | South Carolina | 232.66 ^b | 1.51 | 09(08,12) | 11.93 ^c |
| Iowa | 209.05 | 1.63 | 24(21,31) | 0.58 | South Dakota | 196.91 ^b | 3.08 | 40(28,45) | -5.27 ^c |
| Kansas | 206.13 | 1.76 | 29(23,35) | -0.83 | Tennessee | 245.91 ^b | 1.33 | 06(03,07) | 18.31 ^c |
| Kentucky | 253.64 ^b | 1.62 | 02(01,03) | 22.03 ^c | Texas | 201.78 ^b | 0.67 | 34(30,37) | -2.92 |
| Louisiana | 247.35 ^b | 1.62 | 03(02,07) | 19.00 ^c | Utah | 153.02 ^b | 1.84 | 51(51,51) | -26.38 ^c |
| Maine | 223.77 ^b | 2.49 | 13(10,19) | 7.65 ^c | Vermont | 206.21 | 3.63 | 28(19,40) | -0.79 |
| Maryland | 207.37 | 1.31 | 27(22,31) | -0.23 | Virginia | 211.54 | 1.14 | 22(20,27) | 1.77 |
| Massachusetts | 205.54 | 1.16 | 30(24,33) | -1.12 | Washington | 201.83 ^b | 1.17 | 33(29,38) | -2.90 |
| Michigan | 215.86 ^b | 0.96 | 21(16,22) | 3.85 | West Virginia | 242.52 ^b | 2.21 | 07(03,08) | 16.68 ^c |
| Minnesota | 196.96 ^b | 1.27 | 39(34,42) | -5.24 ^c | Wisconsin | 208.94 | 1.24 | 25(22,30) | 0.52 |
| Mississippi | 260.36 ^b | 2.05 | 01(01,02) | 25.26 ^c | Wyoming | 187.01 ^b | 3.85 | 45(37,48) | -10.03 ^c |
| Missouri | 222.74 ^b | 1.25 | 14(12,17) | 7.16 ^c | | | | | |



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.