

Table 11.10
Cancer of the Kidney and Renal Pelvis (Invasive)

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Survival Time																					
1-year	69.6	70.4	73.2	77.4	79.1	77.9	77.9	78.4	77.3	79.1	80.5	80.0	80.6	85.5	84.0	84.8	86.2	85.1	86.2	86.5	85.7
2-year	60.8	61.8	65.4	69.5	71.2	71.7	70.9	72.1	70.8	72.7	73.4	75.0	75.7	80.5	80.6	81.3	82.2	80.6	81.6	80.6	
3-year	56.4	57.4	61.4	66.3	67.0	68.0	66.7	67.9	66.7	67.8	70.3	70.7	73.3	77.0	77.9	77.8	79.5	78.0	78.6		
4-year	53.0	54.4	58.3	63.5	64.3	64.8	64.2	65.0	63.5	65.7	67.5	68.3	70.6	74.8	75.7	74.6	76.5	75.5			
5-year	51.0	52.4	56.3	60.8	62.3	63.0	61.7	63.7	61.4	62.7	65.5	67.1	69.0	72.0	74.0	72.6	73.4				
6-year	49.5	50.1	53.9	59.0	59.4	61.8	59.4	61.3	58.7	61.4	63.5	65.0	68.0	69.8	71.9	70.5					
7-year	47.3	48.9	52.2	57.4	58.3	60.1	57.5	59.4	57.6	59.5	61.0	63.1	66.2	68.0	70.6						
8-year	45.8	47.7	50.8	56.1	57.1	59.2	54.5	57.3	55.5	57.5	59.5	61.4	64.4	66.1							
9-year	44.8	46.3	48.8	55.1	55.9	58.7	52.5	56.3	53.6	55.7	58.7	60.2	63.0								
10-year	43.4	45.2	47.5	53.4	54.6	56.2	52.1	55.2	51.4	54.1	57.1	58.9									
11-year	42.4	44.0	45.6	51.9	53.1	55.5	50.4	54.5	50.1	53.0	55.4										
12-year	41.3	43.2	44.1	50.8	50.7	53.6	49.2	53.2	49.4	52.7											
13-year	40.6	42.5	42.9	49.6	49.1	52.2	48.6	52.9	49.0												
14-year	39.5	41.4	41.6	48.4	48.9	50.5	48.0	51.9													
15-year	38.4	41.2	40.9	47.7	47.4	48.5	46.7														
16-year	38.0	40.3	39.5	47.1	47.4	47.1															
17-year	37.5	39.9	38.8	46.2	46.0																
18-year	36.5	39.5	37.7	45.1																	
19-year	35.5	38.5	36.8																		
20-year	34.7	37.3	36.2																		

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).