



Table 11.19
Cancer of the Kidney and Renal Pelvis (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2008-2012

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	5.73	0.03		
High Five States				
Oklahoma	7.82 ^b	0.30	01(01,05)	36.52 ^c
North Dakota	7.29	0.66	02(01,35)	27.37 ^c
Louisiana	7.28 ^b	0.27	03(01,13)	27.08 ^c
Iowa	6.93 ^b	0.30	04(01,20)	20.97 ^c
Mississippi	6.76	0.32	05(01,26)	18.08 ^c
Low Five States				
Wyoming	4.81	0.59	47(08,51)	-15.93 ^c
Delaware	4.72	0.47	48(20,51)	-17.64 ^c
Massachusetts	4.69 ^b	0.17	49(37,51)	-18.09 ^c
D.C.	4.65	0.63	50(09,51)	-18.80 ^c
Hawaii	4.20 ^b	0.34	51(37,51)	-26.72 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	5.82	0.23	25(11,41)	1.62	Montana	4.99	0.43	43(14,51)	-12.85
Alaska	5.99	0.79	21(01,51)	4.65	Nebraska	6.46	0.38	13(02,37)	12.80
Arizona	5.44	0.19	35(21,46)	-5.03	Nevada	5.28	0.30	37(17,50)	-7.80
Arkansas	6.67	0.30	06(01,27)	16.57 ^c	New Hampshire	5.72	0.42	30(04,49)	-0.09
California	5.09 ^b	0.08	39(34,48)	-11.16	New Jersey	5.14 ^b	0.16	38(30,49)	-10.23
Colorado	5.07	0.22	41(26,50)	-11.38	New Mexico	6.02	0.35	20(03,44)	5.20
Connecticut	4.94	0.24	45(28,51)	-13.64	New York	5.02 ^b	0.11	42(35,49)	-12.40
Delaware	4.72	0.47	48(20,51)	-17.64 ^c	North Carolina	6.13	0.17	18(07,32)	7.02
D.C.	4.65	0.63	50(09,51)	-18.80 ^c	North Dakota	7.29	0.66	02(01,35)	27.37 ^c
Florida	4.98 ^b	0.09	44(36,49)	-12.97	Ohio	5.94	0.14	23(13,35)	3.72
Georgia	5.39	0.18	36(23,46)	-5.86	Oklahoma	7.82 ^b	0.30	01(01,05)	36.52 ^c
Hawaii	4.20 ^b	0.34	51(37,51)	-26.72 ^c	Oregon	5.69	0.24	32(13,44)	-0.61
Idaho	5.81	0.40	27(04,49)	1.50	Pennsylvania	5.67	0.13	33(19,39)	-1.03
Illinois	5.95	0.15	22(13,34)	3.95	Rhode Island	5.82	0.48	26(02,50)	1.60
Indiana	6.57 ^b	0.21	09(03,24)	14.71	South Carolina	6.33	0.25	17(03,31)	10.65
Iowa	6.93 ^b	0.30	04(01,20)	20.97 ^c	South Dakota	5.82	0.53	24(02,50)	1.70
Kansas	6.65	0.31	07(01,29)	16.12 ^c	Tennessee	6.37	0.21	15(03,28)	11.33
Kentucky	6.52	0.26	11(02,29)	13.91	Texas	6.53 ^b	0.12	10(04,20)	14.11
Louisiana	7.28 ^b	0.27	03(01,13)	27.08 ^c	Utah	5.08	0.33	40(19,51)	-11.24
Maine	6.11	0.41	19(02,46)	6.71	Vermont	4.82	0.55	46(12,51)	-15.88 ^c
Maryland	5.61	0.21	34(16,44)	-2.03	Virginia	5.74	0.18	29(15,40)	0.27
Massachusetts	4.69 ^b	0.17	49(37,51)	-18.09 ^c	Washington	5.80	0.20	28(13,39)	1.24
Michigan	5.70	0.15	31(17,39)	-0.51	West Virginia	6.52	0.36	12(01,35)	13.83
Minnesota	6.40	0.23	14(03,30)	11.86	Wisconsin	6.35	0.21	16(04,29)	10.86
Mississippi	6.76	0.32	05(01,26)	18.08 ^c	Wyoming	4.81	0.59	47(08,51)	-15.93 ^c
Missouri	6.57 ^b	0.21	08(02,24)	14.71					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.