

Table 13.21
Leukemia

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2010-2012 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.06	0.10	0.13	1.75	1.03	Asian/ Pacific Islander	0	0.06	0.09	0.11	1.20	0.78
	10	0.03	0.06	0.11	1.71	1.03		10	0.03	0.06	0.09	1.16	0.78
	20	0.03	0.07	0.15	1.68	1.03		20	0.03	0.06	0.11	1.13	0.77
	30	0.04	0.12	0.28	1.67	1.03		30	0.04	0.08	0.17	1.11	0.77
	40	0.08	0.24	0.59	1.66	1.04		40	0.04	0.13	0.31	1.08	0.76
	50	0.17	0.53	1.06	1.63	1.05		50	0.09	0.27	0.59	1.05	0.75
	60	0.38	0.96	1.44	1.57	1.07		60	0.18	0.52	0.88	1.00	0.74
	70	0.68	1.24	-	1.39	1.05		70	0.37	0.76	-	0.89	0.69
80	0.80	-	-	1.02	0.89	80	0.49	-	-	0.65	0.55		
White	0	0.07	0.10	0.13	1.84	1.07	American Indian/ Alaska Native ^a	0	0.05	0.09	0.13	0.90	0.69
	10	0.04	0.07	0.11	1.79	1.08		10	0.04	0.08	0.10	0.86	0.70
	20	0.03	0.07	0.15	1.76	1.08		20	0.04	0.07	0.09	0.83	0.70
	30	0.04	0.12	0.29	1.75	1.08		30	0.03	0.06	0.16	0.81	0.71
	40	0.08	0.25	0.61	1.73	1.08		40	0.03	0.13	0.27	0.80	0.72
	50	0.18	0.55	1.12	1.70	1.09		50	0.11	0.25	0.49	0.81	0.75
	60	0.40	1.01	1.51	1.64	1.11		60	0.16	0.42	0.69	0.77	0.79
	70	0.71	1.29	-	1.44	1.09		70	0.31	0.62	-	0.72	0.82
80	0.84	-	-	1.05	0.93	80	0.45	-	-	0.59	0.83		
Black	0	0.04	0.06	0.08	1.14	0.68	Hispanic ^b	0	0.07	0.11	0.15	1.40	0.79
	10	0.03	0.04	0.08	1.12	0.69		10	0.05	0.08	0.12	1.34	0.79
	20	0.02	0.06	0.13	1.11	0.69		20	0.04	0.08	0.14	1.30	0.78
	30	0.04	0.11	0.24	1.11	0.69		30	0.04	0.11	0.22	1.28	0.78
	40	0.07	0.21	0.46	1.09	0.69		40	0.06	0.17	0.41	1.25	0.77
	50	0.14	0.40	0.77	1.07	0.70		50	0.11	0.35	0.71	1.22	0.76
	60	0.29	0.70	0.97	1.04	0.71		60	0.26	0.63	1.01	1.17	0.77
	70	0.52	0.86	-	0.94	0.69		70	0.42	0.85	-	1.03	0.73
80	0.54	-	-	0.68	0.59	80	0.57	-	-	0.80	0.63		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.