



Table 13.26  
Leukemia

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2008-2012

Males and Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	6.96	0.02		
High Five States				
Wyoming	8.01	0.54	01(01,44)	15.07 <sup>c</sup>
Wisconsin	7.95 <sup>b</sup>	0.16	02(01,13)	14.17
West Virginia	7.82	0.26	03(01,25)	12.28
Oklahoma	7.77 <sup>b</sup>	0.20	04(01,21)	11.63
Minnesota	7.77 <sup>b</sup>	0.17	05(01,19)	11.55
Low Five States				
Vermont	6.34	0.42	47(09,51)	-8.96
Utah	6.23	0.25	48(24,51)	-10.54
New Mexico	6.17	0.24	49(28,51)	-11.42
D.C.	5.78	0.45	50(21,51)	-17.02 <sup>c</sup>
Hawaii	5.49 <sup>b</sup>	0.27	51(45,51)	-21.14 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	7.66 <sup>b</sup>	0.17	08(01,22)	10.05	Montana	6.75	0.34	34(05,50)	-3.08
Alaska	6.76	0.58	33(01,51)	-2.90	Nebraska	7.08	0.27	21(03,47)	1.62
Arizona	6.46 <sup>b</sup>	0.14	46(27,50)	-7.17	Nevada	6.57	0.23	41(18,50)	-5.61
Arkansas	7.51	0.22	10(01,30)	7.90	New Hampshire	6.88	0.31	29(05,50)	-1.20
California	6.55 <sup>b</sup>	0.06	43(31,48)	-5.86	New Jersey	6.58	0.12	39(26,49)	-5.46
Colorado	6.63	0.17	38(21,49)	-4.83	New Mexico	6.17	0.24	49(28,51)	-11.42
Connecticut	6.95	0.19	26(11,46)	-0.23	New York	6.58 <sup>b</sup>	0.08	40(29,48)	-5.57
Delaware	7.23	0.38	20(01,48)	3.87	North Carolina	6.79	0.12	31(21,45)	-2.49
D.C.	5.78	0.45	50(21,51)	-17.02 <sup>c</sup>	North Dakota	6.86	0.42	30(02,50)	-1.47
Florida	6.57 <sup>b</sup>	0.07	42(29,48)	-5.68	Ohio	7.29	0.11	19(08,27)	4.67
Georgia	6.48 <sup>b</sup>	0.13	45(28,49)	-6.93	Oklahoma	7.77 <sup>b</sup>	0.20	04(01,21)	11.63
Hawaii	5.49 <sup>b</sup>	0.27	51(45,51)	-21.14 <sup>c</sup>	Oregon	7.00	0.18	24(09,45)	0.55
Idaho	6.89	0.30	27(04,49)	-1.10	Pennsylvania	7.45 <sup>b</sup>	0.10	12(05,23)	7.00
Illinois	7.42 <sup>b</sup>	0.11	15(05,24)	6.58	Rhode Island	6.76	0.33	32(05,50)	-2.90
Indiana	7.76 <sup>b</sup>	0.15	06(01,18)	11.51	South Carolina	6.68	0.17	36(20,49)	-4.13
Iowa	7.04	0.20	23(08,45)	1.17	South Dakota	7.41	0.40	16(01,48)	6.38
Kansas	7.70	0.22	07(01,25)	10.53	Tennessee	7.50 <sup>b</sup>	0.15	11(02,25)	7.66
Kentucky	7.58	0.18	09(01,24)	8.91	Texas	6.88	0.08	28(21,38)	-1.18
Louisiana	7.43	0.18	14(02,28)	6.75	Utah	6.23	0.25	48(24,51)	-10.54
Maine	7.06	0.29	22(02,48)	1.38	Vermont	6.34	0.42	47(09,51)	-8.96
Maryland	6.53	0.15	44(24,49)	-6.23	Virginia	6.65	0.13	37(23,48)	-4.55
Massachusetts	6.72	0.14	35(21,47)	-3.48	Washington	6.98	0.15	25(13,41)	0.25
Michigan	7.35	0.12	17(05,26)	5.58	West Virginia	7.82	0.26	03(01,25)	12.28
Minnesota	7.77 <sup>b</sup>	0.17	05(01,19)	11.55	Wisconsin	7.95 <sup>b</sup>	0.16	02(01,13)	14.17
Mississippi	7.44	0.22	13(01,31)	6.88	Wyoming	8.01	0.54	01(01,44)	15.07 <sup>c</sup>
Missouri	7.31	0.15	18(04,29)	4.97					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p < .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 15% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.