



Table 13.27
Leukemia

Age-Adjusted Cancer Death^a Rates By State, All Races, 2008-2012

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	9.36	0.04		
High Five States				
Wisconsin	11.12 ^b	0.29	01(01,11)	18.87 ^c
Alabama	10.87 ^b	0.33	02(01,19)	16.13 ^c
Minnesota	10.72 ^b	0.30	03(01,19)	14.52
Wyoming	10.66	0.93	04(01,49)	13.92
Kentucky	10.66 ^b	0.34	05(01,23)	13.91
Low Five States				
California	8.51 ^b	0.11	47(37,50)	-9.04
Colorado	8.51	0.30	48(26,50)	-9.05
D.C.	8.26	0.87	49(03,51)	-11.78
New Mexico	7.89 ^b	0.41	50(31,51)	-15.70 ^c
Hawaii	7.00 ^b	0.45	51(46,51)	-25.15 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	10.87 ^b	0.33	02(01,19)	16.13 ^c	Montana	8.71	0.58	43(06,51)	-6.92
Alaska	9.76	1.05	19(01,51)	4.33	Nebraska	9.52	0.47	24(02,49)	1.75
Arizona	8.52 ^b	0.24	46(29,50)	-8.97	Nevada	8.84	0.41	41(13,50)	-5.53
Arkansas	10.33	0.39	08(01,33)	10.36	New Hampshire	8.96	0.55	37(05,50)	-4.25
California	8.51 ^b	0.11	47(37,50)	-9.04	New Jersey	8.95	0.21	38(21,48)	-4.34
Colorado	8.51	0.30	48(26,50)	-9.05	New Mexico	7.89 ^b	0.41	50(31,51)	-15.70 ^c
Connecticut	9.55	0.34	23(05,45)	2.01	New York	8.98	0.14	35(25,46)	-4.08
Delaware	10.01	0.69	14(01,49)	6.95	North Carolina	9.33	0.22	29(14,43)	-0.28
D.C.	8.26	0.87	49(03,51)	-11.78	North Dakota	9.46	0.74	26(01,50)	1.09
Florida	8.78 ^b	0.13	42(30,48)	-6.14	Ohio	9.93	0.19	18(06,29)	6.09
Georgia	8.94	0.24	39(21,49)	-4.47	Oklahoma	10.38	0.35	07(01,29)	10.92
Hawaii	7.00 ^b	0.45	51(46,51)	-25.15 ^c	Oregon	9.43	0.32	27(08,46)	0.77
Idaho	9.25	0.52	31(03,50)	-1.21	Pennsylvania	10.02 ^b	0.18	13(05,26)	7.12
Illinois	10.00	0.19	15(05,27)	6.81	Rhode Island	9.42	0.61	28(01,50)	0.61
Indiana	10.43 ^b	0.27	06(01,23)	11.49	South Carolina	9.18	0.31	33(13,48)	-1.95
Iowa	9.58	0.35	22(05,45)	2.40	South Dakota	9.74	0.70	20(01,50)	4.09
Kansas	10.16	0.40	12(01,36)	8.57	Tennessee	10.23	0.28	09(02,28)	9.36
Kentucky	10.66 ^b	0.34	05(01,23)	13.91	Texas	9.12	0.14	34(22,44)	-2.56
Louisiana	10.19	0.34	10(01,31)	8.90	Utah	8.55	0.44	45(16,51)	-8.60
Maine	9.51	0.52	25(02,50)	1.64	Vermont	8.96	0.77	36(01,51)	-4.23
Maryland	8.62	0.27	44(24,50)	-7.86	Virginia	9.19	0.24	32(16,46)	-1.76
Massachusetts	8.91	0.24	40(21,49)	-4.75	Washington	9.33	0.26	30(12,45)	-0.34
Michigan	9.65	0.21	21(09,36)	3.11	West Virginia	10.19	0.47	11(01,40)	8.87
Minnesota	10.72 ^b	0.30	03(01,19)	14.52	Wisconsin	11.12 ^b	0.29	01(01,11)	18.87 ^c
Mississippi	9.94	0.41	17(01,41)	6.21	Wyoming	10.66	0.93	04(01,49)	13.92
Missouri	9.97	0.27	16(03,32)	6.59					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.