Table 16.2 Melanoma of the Skin (Invasive)

Trends in SEER Incidence^{ab} and U.S. Mortality^c Using the Joinpoint Regression Program, 1975-2012 With up to Five Joinpoints, 1992-2012 With up to Three Joinpoints, Males by Race/Ethnicity

| | JP Trend 1 | JP Tre | JP Trend 2 | | JP Trend 3 | | JP Trend 4 | | JP Trend 5 | | JP Trend 6 | | AAPC ^d | |
|------------------------|----------------------------------|-----------|------------|---------|------------|---------|------------|---------|------------|-------|------------|---------|-------------------|--|
| | Years APC | Years | APC | Years | APC | Years | APC | Years | APC | Years | APC | 2003-12 | 2008-12 | |
| SEER 9 Delay-Adju | usted Incidencea, 1 | 975-2012 | | | | | | | | | | | | |
| All Races | 1975-86 5.5 | 1986-08 | 3.0* | 2008-12 | 0.6 | | | | | | | 2.0* | 0.6 | |
| White | 1975-85 5.9 | 1985-06 | 3.4* | 2006-12 | 1.5* | | | | | | | 2.1* | 1.5* | |
| Black | 1975-12 -0.2 | | | | | | | | | | | -0.2 | -0.2 | |
| SEER 13 Delay-Ad | justed Incidence ^b , | 1992-2012 | | | | | | | | | | | | |
| All Races | 1992-96 5.09 | | 2.0* | | | | | | | | | 2.0* | 2.0* | |
| White | 1992-08 3.0 | | 0.0 | | | | | | | | | 1.7* | 0.0 | |
| Black | 1992-95 52.7 | 1995-12 | -2.6* | | | | | | | | | -2.6* | -2.6* | |
| | Incidence ^a , 1975-20 | | | | | | | | | | | | | |
| All Races | 1975-86 5.5 | | 3.0* | 2008-12 | -0.1 | | | | | | | 1.6* | -0.1 | |
| White | 1975-86 5.7 | 1986-08 | 3.3* | 2008-12 | -0.3 | | | | | | | 1.7* | -0.3 | |
| Black | 1975-12 -0.2 | | | | | | | | | | | -0.2 | -0.2 | |
| | Incidence ^b , 1992-2 | | | | | | | | | | | | | |
| All Races | 1992-08 2.6 | | -0.4 | | | | | | | | | 1.2* | -0.4 | |
| White | 1992-08 3.0 | | -0.8 | | | | | | | | | 1.3* | -0.8 | |
| White NH ^{ef} | 1992-08 3.4 | | -0.5 | | | | | | | | | 1.6* | -0.5 | |
| Black | 1992-95 53.1 | | -2.7* | | | | | | | | | -2.7* | -2.7* | |
| Black NH ^{ef} | 1992-95 53.0 | 1995-12 | -2.6* | | | | | | | | | -2.6* | -2.6* | |
| API ^e | 1992-12 1.4 | | | | | | | | | | | 1.4 | 1.4 | |
| AI/AN ^{eg} | 1992-12 0.8 | | | | | | | | | | | 0.8 | 0.8 | |
| Hispanic ^f | 1992-12 1.1 | | | | | | | | | | | 1.1* | 1.1* | |
| U.S. Cancer Morta | | | | | | | | | | | | | | |
| All Races | 1975-90 2.2 | | 0.0 | 2002-09 | 1.0* | 2009-12 | -1.6 | | | | | 0.1 | -0.9 | |
| White | 1975-87 2.5 | | 1.0* | 1997-00 | -1.6 | 2000-09 | 1.1* | 2009-12 | -1.3 | | | 0.3 | -0.7 | |
| Black | 1975-12 -0.89 | | | | | | | | | | | -0.8* | -0.8* | |
| U.S. Cancer Morta | | | | | | | | | | | | | | |
| All Races | 1992-12 0.3 | | | | | | | | | | | 0.3* | 0.3* | |
| White | 1992-12 0.4 | | | | | | | | | | | 0.4* | 0.4* | |
| White NH ^{ef} | 1992-12 0.69 | | | | | | | | | | | 0.6* | 0.6* | |
| Black | 1992-12 -0.2 | | | | | | | | | | | -0.2 | -0.2 | |
| Black NH ^{ef} | 1992-12 -0.2 | | | | | | | | | | | -0.2 | -0.2 | |
| API ^e | 1992-12 -1.3 | | | | | | | | | | | -1.3 | -1.3 | |
| AI/AN ^{eg} | 1992-12 4.09 | | | | | | | | | | | 4.0* | 4.0* | |
| Hispanic ^f | 1992-12 0.0 | | | | | | | | | | | 0.0 | 0.0 | |

Joinpoint Regression Program Version 4.2.0, April 2015, National Cancer Institute. (http://surveillance.cancer.gov/joinpoint/).
The APC is the Annual Percent Change based on rates age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

Trends are from the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).

Trends are from the SEER 13 areas (SEER 9 Areas, Los Angeles, San Jose-Monterey, Rural Georgia, and the Alaska Native Registry).

Trends are from US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

d The AAPC is the Average Annual Percent Change and is based on the APCs calculated by Joinpoint.

API - Asian/Pacific Islander, AI/AN - American Indian/Alaska Native, NH - Non-Hispanic

Hispanic and Non-Hispanic are not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Incidence data for Hispanics and Non-Hispanics are based on NHIA and exclude cases from the Alaska Native Registry. The Hispanic and Non-Hispanic mortality trends exclude deaths from New Hampshire and Oklahoma.

Data for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.

^{*} The APC/AAPC is significantly different from zero (p<.05).</p>

⁻ Joinpoint regression line analysis could not be performed on data series.