

Table 18.14
Myeloma

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2010-2012 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.64	0.39	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.48	0.26
	10	0.00	0.00	0.01	0.64	0.39		10	0.00	0.00	0.00	0.48	0.26
	20	0.00	0.01	0.03	0.65	0.39		20	0.00	0.00	0.02	0.48	0.26
	30	0.00	0.03	0.10	0.65	0.39		30	0.00	0.02	0.06	0.48	0.26
	40	0.02	0.10	0.24	0.65	0.40		40	0.01	0.05	0.14	0.48	0.26
	50	0.07	0.22	0.44	0.64	0.40		50	0.04	0.13	0.28	0.47	0.26
	60	0.16	0.38	0.55	0.59	0.39		60	0.09	0.24	0.36	0.44	0.26
	70	0.25	0.43	-	0.48	0.36		70	0.16	0.29	-	0.37	0.24
80	0.24	-	-	0.29	0.28	80	0.15	-	-	0.24	0.18		
White	0	0.00	0.00	0.00	0.57	0.35	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.59	0.25
	10	0.00	0.00	0.00	0.57	0.36		10	0.00	0.00	0.01	0.60	0.26
	20	0.00	0.00	0.03	0.57	0.36		20	0.00	0.01	0.02	0.60	0.26
	30	0.00	0.02	0.08	0.57	0.36		30	0.01	0.02	0.07	0.61	0.26
	40	0.02	0.08	0.21	0.58	0.36		40	0.02	0.06	0.21	0.61	0.27
	50	0.06	0.19	0.38	0.57	0.37		50	0.05	0.19	0.30	0.61	0.27
	60	0.14	0.34	0.49	0.53	0.36		60	0.16	0.27	0.49	0.59	0.27
	70	0.22	0.39	-	0.43	0.33		70	0.13	0.37	-	0.49	0.24
80	0.22	-	-	0.27	0.26	80	0.32	-	-	0.46	0.16		
Black	0	0.00	0.00	0.00	1.23	0.68	Hispanic ^b	0	0.00	0.00	0.00	0.67	0.40
	10	0.00	0.00	0.01	1.25	0.69		10	0.00	0.00	0.01	0.68	0.41
	20	0.00	0.01	0.07	1.25	0.69		20	0.00	0.01	0.03	0.68	0.41
	30	0.01	0.07	0.24	1.26	0.70		30	0.00	0.03	0.09	0.68	0.41
	40	0.06	0.23	0.53	1.27	0.70		40	0.03	0.09	0.23	0.68	0.41
	50	0.18	0.49	0.90	1.25	0.71		50	0.06	0.21	0.42	0.66	0.41
	60	0.33	0.78	1.08	1.15	0.71		60	0.15	0.37	0.55	0.62	0.40
	70	0.51	0.87	-	0.94	0.65		70	0.23	0.43	-	0.51	0.36
80	0.49	-	-	0.60	0.51	80	0.24	-	-	0.33	0.27		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.