


Table 18.19
Myeloma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2008-2012

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.24	0.02		
High Five States				
D.C.	6.18	0.74	01(01,36)	45.76 ^c
Louisiana	4.98	0.23	02(01,29)	17.51 ^c
Alabama	4.98	0.22	03(01,28)	17.40 ^c
Alaska	4.97	0.77	04(01,51)	17.15 ^c
Tennessee	4.87	0.19	05(01,28)	14.79
Low Five States				
New Mexico	3.55	0.27	47(24,51)	-16.26 ^c
Nevada	3.55	0.26	48(27,51)	-16.28 ^c
Vermont	3.40	0.46	49(08,51)	-19.85 ^c
Rhode Island	3.38	0.37	50(19,51)	-20.27 ^c
Hawaii	3.27	0.30	51(30,51)	-22.95 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.98	0.22	03(01,28)	17.40 ^c	Montana	4.03	0.39	39(02,51)	-4.90
Alaska	4.97	0.77	04(01,51)	17.15 ^c	Nebraska	4.41	0.32	26(02,49)	4.05
Arizona	3.76	0.16	43(29,50)	-11.29	Nevada	3.55	0.26	48(27,51)	-16.28 ^c
Arkansas	4.44	0.25	25(02,45)	4.77	New Hampshire	4.33	0.37	30(02,50)	2.05
California	4.01	0.07	40(28,45)	-5.38	New Jersey	4.07	0.14	37(20,47)	-3.94
Colorado	3.91	0.21	41(18,50)	-7.72	New Mexico	3.55	0.27	47(24,51)	-16.26 ^c
Connecticut	3.68	0.21	46(27,51)	-13.20	New York	3.79 ^b	0.09	42(34,49)	-10.56
Delaware	4.52	0.45	20(01,50)	6.71	North Carolina	4.64	0.15	12(03,32)	9.44
D.C.	6.18	0.74	01(01,36)	45.76 ^c	North Dakota	4.74	0.53	09(01,51)	11.80
Florida	3.73 ^b	0.08	45(36,50)	-12.08	Ohio	4.45	0.13	24(05,36)	5.03
Georgia	4.54	0.17	18(03,37)	7.19	Oklahoma	4.64	0.23	13(02,40)	9.36
Hawaii	3.27	0.30	51(30,51)	-22.95 ^c	Oregon	4.47	0.22	22(02,42)	5.44
Idaho	4.36	0.36	29(02,50)	2.74	Pennsylvania	4.15	0.11	33(19,43)	-2.02
Illinois	4.36	0.13	28(08,39)	2.77	Rhode Island	3.38	0.37	50(19,51)	-20.27 ^c
Indiana	4.70	0.18	10(02,34)	10.86	South Carolina	4.77	0.22	07(01,34)	12.40
Iowa	4.51	0.24	21(02,42)	6.34	South Dakota	4.20	0.45	32(01,51)	-0.83
Kansas	4.75	0.27	08(01,39)	11.97	Tennessee	4.87	0.19	05(01,28)	14.79
Kentucky	4.55	0.22	17(02,41)	7.22	Texas	4.05	0.10	38(25,45)	-4.57
Louisiana	4.98	0.23	02(01,29)	17.51 ^c	Utah	4.46	0.32	23(02,48)	5.20
Maine	3.73	0.32	44(10,51)	-11.96	Vermont	3.40	0.46	49(08,51)	-19.85 ^c
Maryland	4.52	0.20	19(03,40)	6.72	Virginia	4.69	0.17	11(02,33)	10.58
Massachusetts	4.13	0.16	35(14,46)	-2.52	Washington	4.36	0.17	27(06,43)	2.78
Michigan	4.63	0.14	14(03,32)	9.18	West Virginia	4.14	0.29	34(04,50)	-2.32
Minnesota	4.55	0.20	16(02,38)	7.33	Wisconsin	4.78	0.19	06(02,31)	12.67
Mississippi	4.27	0.27	31(03,48)	0.70	Wyoming	4.12	0.59	36(01,51)	-2.94
Missouri	4.58	0.18	15(02,37)	8.06					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.