

Table 19.9
Non-Hodgkin Lymphoma

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males and Females

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Survival Time																					
1-year	70.2	73.0	71.2	70.4	70.3	73.2	75.6	76.6	77.4	77.2	78.6	80.9	80.3	81.0	81.6	80.9	81.6	83.9	83.8	84.0	83.1
2-year	60.2	63.7	62.8	62.2	61.8	65.9	68.5	70.0	71.1	71.3	73.2	76.0	75.7	76.0	77.2	76.9	77.4	78.8	79.3	79.3	
3-year	54.7	58.5	58.2	57.7	57.4	62.0	64.9	66.4	66.9	67.8	70.0	73.1	73.1	73.5	74.7	74.4	74.9	75.9	77.0		
4-year	50.6	54.5	54.3	54.4	54.6	58.7	62.1	63.6	64.4	65.4	68.0	71.1	71.5	71.4	72.7	72.5	72.9	74.2			
5-year	46.8	50.7	51.0	51.6	51.9	56.0	59.3	60.9	62.1	63.8	65.8	69.2	70.0	70.0	71.3	70.4	70.9				
6-year	43.6	47.5	48.3	49.2	49.8	54.1	57.1	58.3	59.5	61.9	64.5	68.0	68.3	68.6	70.0	68.6					
7-year	40.8	45.0	45.8	46.9	47.8	52.1	55.2	56.4	57.7	60.3	62.8	66.1	67.1	67.0	68.0						
8-year	38.5	42.8	43.4	45.0	46.3	50.4	52.9	55.2	56.3	58.7	61.1	65.0	65.6	66.4							
9-year	36.5	40.8	41.4	43.4	45.1	49.2	51.4	53.4	54.7	57.4	59.8	63.8	64.6								
10-year	34.9	38.9	39.8	42.0	44.2	48.0	50.1	52.2	53.6	56.1	58.7	63.0									
11-year	33.5	37.3	38.4	40.5	43.2	46.6	48.7	51.0	52.4	54.5	57.8										
12-year	32.3	35.9	36.9	39.5	42.1	45.6	48.0	50.0	51.1	53.2											
13-year	31.4	34.7	35.7	38.3	41.3	44.7	46.7	49.0	49.9												
14-year	30.2	33.5	34.6	37.1	40.4	44.2	45.4	48.3													
15-year	28.8	32.2	33.5	36.4	39.5	43.5	44.4														
16-year	27.9	31.1	32.7	35.5	38.9	43.5															
17-year	27.3	30.3	32.0	34.7	38.5																
18-year	26.7	29.5	31.2	33.9																	
19-year	26.0	28.7	30.5																		
20-year	25.1	27.9	30.0																		

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).