

Table 19.10
Non-Hodgkin Lymphoma

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Survival Time																					
1-year	69.4	72.7	68.8	67.0	66.7	71.1	74.6	74.9	75.9	76.4	77.5	80.6	79.6	80.0	81.0	80.9	81.4	83.4	82.6	83.4	83.5
2-year	59.4	63.7	60.4	58.2	58.4	63.6	67.2	68.2	69.3	70.2	71.1	75.3	74.8	75.3	76.1	76.4	77.7	77.6	77.8	78.5	
3-year	53.4	58.1	55.7	53.7	54.5	59.8	63.8	64.6	64.3	66.7	67.8	71.9	72.6	72.4	72.9	73.5	75.3	74.9	75.4		
4-year	49.4	53.9	51.5	50.4	51.5	56.1	61.0	62.0	61.5	63.8	65.6	70.0	70.8	70.0	70.9	71.2	73.2	73.1			
5-year	45.5	50.1	48.1	47.6	48.5	53.6	58.2	59.2	59.1	61.6	63.5	67.9	68.9	68.7	69.6	68.7	70.8				
6-year	42.6	46.6	45.4	45.6	46.8	51.0	56.1	56.5	56.2	60.1	61.8	66.7	66.9	67.4	68.1	66.9					
7-year	39.9	44.2	43.1	43.6	44.8	49.1	54.2	54.5	54.6	58.5	59.9	65.2	65.7	65.2	66.4						
8-year	37.8	42.0	40.9	41.7	43.2	47.5	52.0	53.3	53.6	56.5	58.1	63.6	64.3	64.7							
9-year	35.7	40.0	39.0	40.2	42.2	46.4	50.4	51.4	52.3	55.1	57.0	62.7	63.1								
10-year	34.0	37.9	37.6	39.1	41.5	45.4	48.8	50.3	51.5	54.0	55.8	61.6									
11-year	32.8	36.3	36.3	38.0	40.6	43.7	47.6	49.3	50.7	52.4	54.4										
12-year	31.9	35.2	35.0	37.2	39.4	42.5	47.0	48.1	49.8	51.1											
13-year	30.6	34.2	34.2	36.0	38.7	41.6	45.4	46.7	49.1												
14-year	29.4	33.0	33.1	34.9	37.6	41.3	44.2	46.0													
15-year	28.0	31.9	32.3	34.3	36.6	40.7	43.3														
16-year	27.1	30.7	31.5	33.2	35.9	40.7															
17-year	26.5	29.9	30.7	32.5	35.6																
18-year	26.1	29.3	30.1	31.8																	
19-year	25.5	28.7	29.3																		
20-year	25.0	27.9	29.0																		

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).