

Table 19.11
Non-Hodgkin Lymphoma

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Females

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
Survival Time																					
1-year	71.1	73.3	73.9	74.7	75.1	75.8	76.7	78.5	79.3	78.1	80.1	81.4	81.1	82.0	82.3	80.8	81.8	84.4	85.1	84.9	82.7
2-year	61.1	63.7	65.6	67.3	66.3	68.7	70.1	72.0	73.4	72.7	75.7	76.8	76.6	76.7	78.4	77.3	77.1	80.2	81.0	80.3	
3-year	56.0	58.9	61.1	62.7	61.4	64.9	66.2	68.4	69.9	69.2	72.7	74.4	73.6	74.7	76.7	75.5	74.4	77.1	78.9		
4-year	51.9	55.2	57.6	59.5	58.9	61.9	63.4	65.3	68.0	67.4	70.9	72.4	72.4	73.1	74.9	73.9	72.6	75.4			
5-year	48.2	51.3	54.4	56.6	56.4	59.0	60.7	62.9	65.7	66.4	68.7	70.7	71.2	71.6	73.3	72.3	71.1				
6-year	44.6	48.4	51.7	53.9	53.8	58.0	58.3	60.3	63.4	64.2	67.7	69.6	69.9	70.0	72.3	70.7					
7-year	41.8	45.8	49.1	51.1	51.9	56.0	56.3	58.5	61.4	62.5	66.1	67.1	68.6	69.1	69.8						
8-year	39.3	43.7	46.3	49.1	50.3	54.1	53.9	57.3	59.5	61.4	64.7	66.5	67.1	68.3							
9-year	37.4	41.6	44.2	47.5	49.0	52.8	52.6	55.7	57.6	60.2	63.1	65.1	66.3								
10-year	36.0	39.8	42.4	45.8	47.7	51.3	51.5	54.2	56.0	58.6	62.1	64.6									
11-year	34.2	38.4	40.9	43.8	46.6	50.1	49.9	52.8	54.5	56.9	61.7										
12-year	32.9	36.8	39.1	42.5	45.6	49.4	49.2	52.2	52.7	55.7											
13-year	32.1	35.2	37.5	41.1	44.7	48.4	48.3	51.6	50.8												
14-year	31.0	34.0	36.4	39.9	43.8	47.7	46.7	50.9													
15-year	29.7	32.5	34.9	39.0	43.2	47.0	45.6														
16-year	28.7	31.5	34.2	38.4	43.0	46.5															
17-year	28.2	30.6	33.5	37.6	42.2																
18-year	27.4	29.7	32.6	36.5																	
19-year	26.4	28.7	31.9																		
20-year	25.3	27.9	31.1																		

^a

Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).