


Table 19.24
Non-Hodgkin Lymphoma

Age-Adjusted Cancer Death^a Rates By State, All Races, 2008-2012


Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.82	0.02		
High Five States				
West Virginia	5.78	0.30	01(01,23)	19.93 ^c
Kentucky	5.65 ^b	0.21	02(01,19)	17.32 ^c
Arkansas	5.51	0.25	03(01,26)	14.27
Minnesota	5.42	0.18	04(01,25)	12.36
Michigan	5.41 ^b	0.13	05(01,20)	12.29
Low Five States				
New Hampshire	4.30	0.32	47(09,51)	-10.79
Colorado	4.26	0.18	48(24,51)	-11.66
Rhode Island	4.23	0.34	49(10,51)	-12.31
Georgia	4.20 ^b	0.13	50(32,51)	-12.80
D.C.	3.67	0.47	51(15,51)	-23.91 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	5.12	0.19	13(02,35)	6.31	Montana	4.34	0.37	43(05,51)	-9.94
Alaska	5.02	0.69	17(01,51)	4.21	Nebraska	5.04	0.30	15(01,48)	4.51
Arizona	4.64	0.16	30(15,47)	-3.66	Nevada	4.33	0.26	45(14,51)	-10.12
Arkansas	5.51	0.25	03(01,26)	14.27	New Hampshire	4.30	0.32	47(09,51)	-10.79
California	4.60	0.07	35(23,43)	-4.61	New Jersey	4.67	0.13	28(16,45)	-3.15
Colorado	4.26	0.18	48(24,51)	-11.66	New Mexico	4.30	0.27	46(15,51)	-10.73
Connecticut	4.45	0.19	41(18,51)	-7.66	New York	4.66	0.09	29(20,43)	-3.24
Delaware	4.83	0.41	25(01,51)	0.11	North Carolina	4.69	0.13	27(16,45)	-2.71
D.C.	3.67	0.47	51(15,51)	-23.91 ^c	North Dakota	4.61	0.45	34(01,51)	-4.43
Florida	4.49 ^b	0.08	39(26,47)	-6.93	Ohio	5.28 ^b	0.12	09(02,23)	9.63
Georgia	4.20 ^b	0.13	50(32,51)	-12.80	Oklahoma	5.34	0.22	07(01,29)	10.75
Hawaii	4.47	0.32	40(04,51)	-7.24	Oregon	4.98	0.20	22(03,43)	3.32
Idaho	4.90	0.34	23(01,50)	1.71	Pennsylvania	5.22 ^b	0.11	12(03,24)	8.28
Illinois	5.03	0.11	16(06,30)	4.38	Rhode Island	4.23	0.34	49(10,51)	-12.31
Indiana	5.29	0.17	08(01,26)	9.80	South Carolina	4.50	0.18	37(17,50)	-6.62
Iowa	5.24	0.22	11(01,36)	8.71	South Dakota	5.02	0.43	18(01,51)	4.21
Kansas	4.80	0.24	26(03,49)	-0.37	Tennessee	5.00	0.16	21(04,38)	3.77
Kentucky	5.65 ^b	0.21	02(01,19)	17.32 ^c	Texas	4.64	0.09	31(20,43)	-3.79
Louisiana	5.02	0.20	19(02,39)	4.17	Utah	4.63	0.29	32(04,51)	-3.86
Maine	5.34	0.33	06(01,44)	10.81	Vermont	4.61	0.47	33(01,51)	-4.42
Maryland	4.34	0.16	44(24,51)	-10.01	Virginia	4.58	0.14	36(18,48)	-5.02
Massachusetts	4.50	0.14	38(21,49)	-6.65	Washington	5.09	0.17	14(03,34)	5.62
Michigan	5.41 ^b	0.13	05(01,20)	12.29	West Virginia	5.78	0.30	01(01,23)	19.93 ^c
Minnesota	5.42	0.18	04(01,25)	12.36	Wisconsin	5.25	0.17	10(01,28)	8.89
Mississippi	4.40	0.23	42(15,51)	-8.81	Wyoming	4.83	0.56	24(01,51)	0.23
Missouri	5.01	0.16	20(04,37)	3.89					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



U.S. rate: 4.82

- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.