

Table 22.13
Cancer of the Pancreas (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2010-2012 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	1.54	1.37	Asian/ Pacific Islander	0	0.00	0.00	0.00	1.58	1.35
	10	0.00	0.00	0.01	1.56	1.39		10	0.00	0.00	0.01	1.60	1.36
	20	0.00	0.01	0.06	1.56	1.40		20	0.00	0.01	0.04	1.60	1.36
	30	0.01	0.06	0.22	1.58	1.41		30	0.01	0.04	0.16	1.61	1.37
	40	0.05	0.22	0.59	1.59	1.43		40	0.03	0.15	0.43	1.61	1.38
	50	0.18	0.56	1.09	1.60	1.44		50	0.12	0.41	0.87	1.60	1.38
	60	0.42	0.98	1.42	1.53	1.40		60	0.30	0.78	1.35	1.54	1.34
	70	0.66	1.17	-	1.29	1.23		70	0.53	1.15	-	1.35	1.22
80	0.73	-	-	0.90	0.91	80	0.78	-	-	1.03	1.00		
White	0	0.00	0.00	0.00	1.54	1.38	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	1.20	0.87
	10	0.00	0.00	0.01	1.56	1.40		10	0.00	0.00	0.01	1.22	0.89
	20	0.00	0.01	0.06	1.56	1.40		20	0.00	0.00	0.03	1.22	0.89
	30	0.01	0.06	0.22	1.58	1.42		30	0.00	0.03	0.15	1.25	0.91
	40	0.05	0.22	0.59	1.59	1.44		40	0.03	0.15	0.48	1.28	0.94
	50	0.17	0.56	1.10	1.60	1.45		50	0.13	0.47	0.88	1.31	0.96
	60	0.42	0.99	1.43	1.53	1.41		60	0.37	0.82	1.06	1.30	0.95
	70	0.67	1.18	-	1.29	1.23		70	0.53	0.81	-	1.09	0.80
80	0.72	-	-	0.89	0.91	80	0.40	-	-	0.81	0.46		
Black	0	0.00	0.00	0.00	1.49	1.36	Hispanic ^b	0	0.00	0.00	0.00	1.50	1.30
	10	0.00	0.00	0.01	1.52	1.39		10	0.00	0.00	0.01	1.52	1.31
	20	0.00	0.01	0.07	1.53	1.40		20	0.00	0.01	0.05	1.52	1.31
	30	0.01	0.07	0.31	1.56	1.43		30	0.01	0.04	0.17	1.54	1.33
	40	0.06	0.31	0.76	1.59	1.46		40	0.04	0.17	0.49	1.55	1.34
	50	0.26	0.73	1.20	1.60	1.48		50	0.13	0.46	0.97	1.54	1.34
	60	0.53	1.06	1.41	1.50	1.44		60	0.35	0.88	1.31	1.49	1.31
	70	0.67	1.12	-	1.23	1.27		70	0.60	1.09	-	1.29	1.18
80	0.71	-	-	0.90	0.96	80	0.65	-	-	0.92	0.93		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.