


Table 23.14  
Cancer of the Prostate (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2008-2012

Males

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	21.41	0.06		
High Five States				
D.C.	34.92 <sup>b</sup>	1.84	01(01,01)	63.11 <sup>c</sup>
Mississippi	28.44 <sup>b</sup>	0.73	02(02,03)	32.84 <sup>c</sup>
Alabama	26.37 <sup>b</sup>	0.53	03(02,06)	23.19 <sup>c</sup>
South Carolina	25.46 <sup>b</sup>	0.54	04(03,09)	18.91 <sup>c</sup>
Idaho	24.67 <sup>b</sup>	0.88	05(03,27)	15.23 <sup>c</sup>
Low Five States				
Texas	19.59 <sup>b</sup>	0.22	47(40,49)	-8.49
Arizona	19.44 <sup>b</sup>	0.37	48(37,50)	-9.19
Kansas	19.23 <sup>b</sup>	0.55	49(35,50)	-10.17 <sup>c</sup>
Florida	18.70 <sup>b</sup>	0.18	50(47,50)	-12.64 <sup>c</sup>
Hawaii	14.84 <sup>b</sup>	0.66	51(51,51)	-30.70 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	26.37 <sup>b</sup>	0.53	03(02,06)	23.19 <sup>c</sup>	Montana	23.44	0.97	09(03,38)	9.50
Alaska	21.89	1.72	28(03,50)	2.23	Nebraska	21.99	0.73	26(07,45)	2.72
Arizona	19.44 <sup>b</sup>	0.37	48(37,50)	-9.19	Nevada	21.45	0.67	31(10,47)	0.21
Arkansas	22.75	0.60	13(06,35)	6.26	New Hampshire	20.81	0.85	35(10,50)	-2.81
California	21.12	0.17	32(27,40)	-1.34	New Jersey	20.32	0.33	42(30,48)	-5.10
Colorado	22.56	0.51	17(07,34)	5.37	New Mexico	21.86	0.71	29(07,46)	2.13
Connecticut	20.20	0.49	44(27,50)	-5.65	New York	20.60 <sup>b</sup>	0.22	39(31,45)	-3.79
Delaware	22.55	1.07	18(04,47)	5.34	North Carolina	23.49 <sup>b</sup>	0.37	08(05,21)	9.70
D.C.	34.92 <sup>b</sup>	1.84	01(01,01)	63.11 <sup>c</sup>	North Dakota	22.57	1.15	16(03,48)	5.42
Florida	18.70 <sup>b</sup>	0.18	50(47,50)	-12.64 <sup>c</sup>	Ohio	22.02	0.29	25(13,34)	2.86
Georgia	24.57 <sup>b</sup>	0.42	06(04,12)	14.76 <sup>c</sup>	Oklahoma	22.39	0.54	22(08,36)	4.56
Hawaii	14.84 <sup>b</sup>	0.66	51(51,51)	-30.70 <sup>c</sup>	Oregon	23.21 <sup>b</sup>	0.51	11(05,29)	8.40
Idaho	24.67 <sup>b</sup>	0.88	05(03,27)	15.23 <sup>c</sup>	Pennsylvania	21.08	0.26	33(26,42)	-1.53
Illinois	22.39	0.30	21(10,31)	4.57	Rhode Island	20.80	0.91	36(09,50)	-2.83
Indiana	21.98	0.41	27(11,38)	2.65	South Carolina	25.46 <sup>b</sup>	0.54	04(03,09)	18.91 <sup>c</sup>
Iowa	20.73	0.52	38(20,49)	-3.20	South Dakota	20.75	1.01	37(08,50)	-3.08
Kansas	19.23 <sup>b</sup>	0.55	49(35,50)	-10.17 <sup>c</sup>	Tennessee	22.58	0.43	15(08,32)	5.48
Kentucky	21.52	0.51	30(12,44)	0.49	Texas	19.59 <sup>b</sup>	0.22	47(40,49)	-8.49
Louisiana	24.21 <sup>b</sup>	0.54	07(04,18)	13.08 <sup>c</sup>	Utah	23.31	0.75	10(04,34)	8.88
Maine	21.05	0.79	34(10,50)	-1.66	Vermont	22.35	1.24	23(03,49)	4.41
Maryland	22.51	0.45	19(08,33)	5.12	Virginia	22.65	0.40	14(08,31)	5.79
Massachusetts	20.48	0.37	40(28,48)	-4.33	Washington	22.20	0.40	24(09,35)	3.69
Michigan	20.30 <sup>b</sup>	0.31	43(31,48)	-5.16	West Virginia	20.13	0.67	45(23,50)	-5.97
Minnesota	22.50	0.44	20(08,33)	5.11	Wisconsin	23.13 <sup>b</sup>	0.42	12(06,27)	8.02
Mississippi	28.44 <sup>b</sup>	0.73	02(02,03)	32.84 <sup>c</sup>	Wyoming	20.34	1.34	41(06,50)	-4.99
Missouri	19.89 <sup>b</sup>	0.39	46(32,50)	-7.10					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p < .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 10% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.