

Table 26.14
Cancer of the Thyroid (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Females, 2010-2012 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.03	0.17	1.72	0.07	Asian/ Pacific Islander	0	0.00	0.03	0.15	1.81	0.15
	10	0.03	0.17	0.44	1.73	0.07		10	0.03	0.15	0.41	1.82	0.15
	20	0.14	0.41	0.74	1.70	0.07		20	0.12	0.38	0.70	1.79	0.15
	30	0.27	0.61	0.95	1.58	0.07		30	0.26	0.59	0.93	1.68	0.15
	40	0.34	0.69	0.99	1.32	0.07		40	0.33	0.67	0.99	1.42	0.15
	50	0.36	0.67	0.90	1.00	0.07		50	0.34	0.67	0.93	1.11	0.15
	60	0.33	0.57	0.66	0.68	0.07		60	0.33	0.60	0.72	0.78	0.14
	70	0.27	0.37	-	0.39	0.06		70	0.28	0.41	-	0.48	0.13
80	0.13	-	-	0.16	0.05	80	0.15	-	-	0.23	0.11		
White	0	0.00	0.04	0.19	1.81	0.07	American Indian/ Alaska Native ^a	0	0.00	0.01	0.08	1.18	0.06
	10	0.04	0.19	0.48	1.83	0.07		10	0.01	0.08	0.22	1.19	0.06
	20	0.15	0.45	0.80	1.79	0.07		20	0.07	0.21	0.42	1.19	0.06
	30	0.29	0.65	1.01	1.65	0.07		30	0.15	0.35	0.53	1.13	0.06
	40	0.36	0.73	1.04	1.37	0.07		40	0.21	0.38	0.60	1.00	0.06
	50	0.37	0.69	0.93	1.03	0.07		50	0.18	0.41	0.71	0.82	0.06
	60	0.33	0.58	0.67	0.69	0.07		60	0.24	0.55	0.67	0.67	0.06
	70	0.27	0.37	-	0.39	0.06		70	0.35	0.48	-	0.48	0.05
80	0.13	-	-	0.15	0.05	80	0.17	-	-	0.17	0.05		
Black	0	0.00	0.01	0.06	1.02	0.06	Hispanic ^b	0	0.00	0.03	0.15	1.67	0.11
	10	0.01	0.06	0.20	1.04	0.07		10	0.03	0.15	0.37	1.69	0.11
	20	0.05	0.19	0.39	1.03	0.07		20	0.12	0.34	0.63	1.66	0.11
	30	0.14	0.34	0.56	0.99	0.07		30	0.22	0.51	0.83	1.54	0.11
	40	0.20	0.42	0.64	0.86	0.07		40	0.29	0.61	0.91	1.33	0.11
	50	0.23	0.46	0.61	0.68	0.07		50	0.33	0.64	0.90	1.06	0.11
	60	0.25	0.41	0.47	0.49	0.06		60	0.32	0.59	0.72	0.76	0.11
	70	0.19	0.26	-	0.28	0.06		70	0.30	0.44	-	0.47	0.10
80	0.10	-	-	0.13	0.05	80	0.17	-	-	0.21	0.07		

Devcan 6.8.0, August 2014, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.