


Table 26.20
Cancer of the Thyroid (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2008-2012

Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	0.50	0.01		
High Five States				
Hawaii	0.95	0.15	01(01,13)	90.17 ^c
Vermont	0.86	0.21	02(01,44)	70.93 ^c
North Dakota	0.78	0.18	03(01,44)	56.23 ^c
Idaho	0.77	0.14	04(01,39)	53.27 ^c
California	0.65 ^b	0.03	05(02,11)	29.72 ^c
Low Five States				
Utah	0.40	0.09	41(04,45)	-19.83 ^c
Georgia	0.38	0.04	42(19,45)	-23.83 ^c
South Carolina	0.38	0.05	43(13,45)	-23.93 ^c
Oklahoma	0.36	0.06	44(13,45)	-28.41 ^c
Kansas	0.34	0.06	45(12,45)	-31.96 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	0.43	0.05	34(07,45)	-13.51	Montana	-	-	-(-,-)	-
Alaska	-	-	-(-,-)	-	Nebraska	0.43	0.08	37(04,45)	-14.36
Arizona	0.40	0.05	40(12,45)	-19.33 ^c	Nevada	0.45	0.08	31(04,45)	-9.63
Arkansas	0.54	0.08	12(02,44)	7.14	New Hampshire	0.43	0.10	33(03,45)	-13.45
California	0.65 ^b	0.03	05(02,11)	29.72 ^c	New Jersey	0.46	0.04	30(08,44)	-8.52
Colorado	0.47	0.06	28(05,45)	-5.66	New Mexico	0.62	0.10	06(01,43)	23.14 ^c
Connecticut	0.43	0.06	35(06,45)	-14.22	New York	0.52	0.03	17(06,34)	3.21
Delaware	0.58	0.14	08(01,45)	15.68 ^c	North Carolina	0.48	0.04	26(07,43)	-4.75
D.C.	-	-	-(-,-)	-	North Dakota	0.78	0.18	03(01,44)	56.23 ^c
Florida	0.42 ^b	0.02	39(22,44)	-17.01 ^c	Ohio	0.48	0.04	22(07,41)	-3.53
Georgia	0.38	0.04	42(19,45)	-23.83 ^c	Oklahoma	0.36	0.06	44(13,45)	-28.41 ^c
Hawaii	0.95	0.15	01(01,13)	90.17 ^c	Oregon	0.50	0.07	20(04,45)	-1.02
Idaho	0.77	0.14	04(01,39)	53.27 ^c	Pennsylvania	0.54	0.04	09(05,32)	7.86
Illinois	0.54	0.04	11(05,33)	7.20	Rhode Island	-	-	-(-,-)	-
Indiana	0.48	0.05	27(06,44)	-5.29	South Carolina	0.38	0.05	43(13,45)	-23.93 ^c
Iowa	0.46	0.07	29(04,45)	-7.76	South Dakota	-	-	-(-,-)	-
Kansas	0.34	0.06	45(12,45)	-31.96 ^c	Tennessee	0.45	0.05	32(07,45)	-11.08
Kentucky	0.53	0.06	14(03,42)	6.13	Texas	0.54	0.03	10(05,30)	7.82
Louisiana	0.48	0.06	24(05,45)	-4.36	Utah	0.40	0.09	41(04,45)	-19.83 ^c
Maine	0.58	0.11	07(01,45)	16.57 ^c	Vermont	0.86	0.21	02(01,44)	70.93 ^c
Maryland	0.42	0.05	38(10,45)	-16.53 ^c	Virginia	0.43	0.04	36(10,45)	-14.31
Massachusetts	0.50	0.05	19(05,42)	-0.60	Washington	0.52	0.05	16(04,41)	3.70
Michigan	0.48	0.04	23(07,42)	-4.26	West Virginia	0.51	0.09	18(02,45)	0.79
Minnesota	0.49	0.06	21(05,44)	-3.16	Wisconsin	0.54	0.06	13(03,40)	6.83
Mississippi	0.48	0.07	25(04,45)	-4.71	Wyoming	-	-	-(-,-)	-
Missouri	0.53	0.05	15(04,40)	5.40					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.