Table 1.25

Age-Adjusted SEER Incidence Rates and Trends for the Top 15 Cancer Sites^a by Race/Ethnicity

Males

All Races			White			Black		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
20	009-2013	2004-2013		2009-2013	2004-2013		2009-2013	2004-2013
All Sites	504.5	-1.7*	All Sites	508.2	-1.7*	All Sites	571.8	-2.4*
Prostate	129.4	-4.0*	Prostate	121.9	-4.3*	Prostate	203.5	-3.8*
Lung and Bronchus	67.9	-2.7*	Lung and Bronchus	68.1	-2.7*	Lung and Bronchus	87.3	-3.1*
Colon and Rectum	47.1	-3.1*	Colon and Rectum	46.0	-3.3*	Colon and Rectum	59.2	-3.0*
Urinary Bladder	35.3	-1.4*	Urinary Bladder	38.5	-1.3*	Kidney and Renal Pelvis	25.0	1.1
Melanoma of the Skin	28.5	1.2*	Melanoma of the Skin	33.5	1.1*	Urinary Bladder	21.2	-0.8
Non-Hodgkin Lymphoma	23.7	-0.4*	Non-Hodgkin Lymphoma	24.8	-0.4*	Non-Hodgkin Lymphoma	17.6	-1.1
Kidney and Renal Pelvis	21.4	1.1*	Kidney and Renal Pelvis	21.9	1.1*	Pancreas	17.2	-0.3
Leukemia	17.3	0.3	Leukemia	18.2	0.2	Liver & IBD ^f	16.4	2.6*
Oral Cavity and Pharynx	16.7	0.7*	Oral Cavity and Pharynx	17.4	1.0*	Myeloma	15.7	0.7
Pancreas	14.1	0.6*	Pancreas	14.1	0.7*	Oral Cavity and Pharynx	14.4	-2.0*
Liver & IBD ^f	13.0	2.8*	Liver & IBD ^f	11.6	3.5*	Stomach	14.0	-3.4*
Stomach	10.0	-1.5*	Stomach	9.1	-1.1*	Leukemia	13.8	0.2
Myeloma	8.2	1.3*	Brain and ONS^{f}	8.3	-0.6*	Larynx	8.7	-3.4*
Brain and ONS ^f	7.6	-0.5*	Esophagus	7.9	-0.8*	Esophagus	7.2	-4.5*
Esophagus	7.4	-1.4*	Myeloma	7.7	1.4*	Brain and ONS^{f}	4.9	1.4*
Asian/Pacific Islander			American Indian/Alaska Native ^d			Hispanic ^e		
	Rate ^b	APC ^c		Rate ^b	APC ^c		Rate ^b	APC ^c
20	009-2013	2004-2013		2009-2013	2004-2013		2009-2013	2004-2013
All Sites	317.3	-2.3*	All Sites	338.5	-1.6*	All Sites	382.9	-2.4*
Prostate	68.9	-5.7*	Prostate	63.9	-5.4*	Prostate	106.9	-5.0*
Lung and Bronchus	47.9	-2.1*	Lung and Bronchus	48.6	-2.1	Colon and Rectum	41.3	-3.0*
Colon and Rectum	41.2	-2.1*	Colon and Rectum	46.2	-0.1	Lung and Bronchus	36.6	-3.4*
Liver & IBD ^f	20.8	-1.7*	Kidney and Renal Pelvis	25.1	1.3	Non-Hodgkin Lymphoma	20.7	0.0
Non-Hodgkin Lymphoma	16.5	-0.1	Liver & IBD ^f	18.5	-0.4	Kidney and Renal Pelvis	20.1	0.1
Urinary Bladder	15.5	-1.8*	Non-Hodgkin Lymphoma	14.6	-0.6	Liver & IBD ^f	19.5	1.9*
Stomach	14.3	-4.0*	Urinary Bladder	14.4	-2.0	Urinary Bladder	19.4	-2.2*
Kidney and Renal Pelvis	11.7	2.0*	Stomach	13.5	-2.0	Stomach	13.5	-3.2*
Oral Cavity and Pharynx	11.1	0.5	Oral Cavity and Pharynx	13.2	4.6	Leukemia	12.8	0.2
Pancreas	11.0	0.3	Pancreas	10.9	-	Pancreas	11.8	-0.б
Leukemia	9.6	0.0	Leukemia	9.7	0.1	Oral Cavity and Pharynx	10.0	0.2
Thyroid	6.5	5.8*	Myeloma	5.2	-	Myeloma	7.5	0.9
Myeloma	4.7	0.7	Esophagus	5.0	-	Brain and ONS ^f	5.7	-1.7*
Brain and ONS ^f	4.3	0.8	Testis	4.9	-	Thyroid	5.0	3.9*
Esophaqus	3.4	-4.8*	Melanoma of the Skin	4.2	-	Testis	5.0	2.3*

- Source: SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG).
- а Top 15 cancer sites selected based on 2009-2013 age-adjusted rates for the race/ethnic group.
- b Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- С The APC is the Annual Percent Change over the time interval.
- Trends are based on rates age-adjusted to the 2000 US Std Population (19 age groups Census P25-1130). d
 - Rates for American Indian/Alaska Native are based on the CHSDA(Contract Health Service Delivery Area) counties.
- P Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry. f
- IBD = Intrahepatic Bile Duct. ONS = Other Nervous System.
- The APC is significantly different from zero (p<.05).
- Statistic not shown. Rate based on less than 16 cases for the time interval. Trend based on less than 10 cases for at least one year within the time interval.