

Table 2.17
All Cancer Sites (Invasive)

Age-Adjusted SEER Death Rates^a
By Registry, Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>SEER Death Rates^a, 2009-2013</u>									
California	152.56	180.35	132.86	158.26	186.21	138.30	194.35	233.41	169.88
Greater Bay Area	142.94	168.04	125.53	150.93	175.73	133.71	197.89	238.83	172.93
San Francisco-Oakland	145.76	171.44	128.07	152.15	177.13	134.85	203.50	248.88	175.84
San Jose-Monterey	137.33	161.40	120.41	148.63	173.11	131.56	160.39	175.99	151.55
Los Angeles	148.42	175.61	129.69	151.21	177.29	133.03	200.41	243.59	174.83
Greater California	157.80	186.74	136.89	162.97	192.49	141.55	186.05	219.49	162.93
Connecticut	156.53	186.64	136.40	157.42	186.95	137.54	162.78	206.18	137.50
Detroit	180.98	217.63	156.75	174.59	209.22	151.47	214.37	266.39	182.08
Georgia	171.62	215.66	142.02	168.86	209.02	140.46	188.56	255.45	151.88
Atlanta	156.39	192.47	134.07	148.48	179.40	128.29	181.59	240.92	151.52
Rural Georgia	184.32	238.99	147.54	171.89	209.71	144.28	209.37	317.84	150.98
Greater Georgia	178.43	225.33	145.99	176.15	219.51	144.91	193.42	263.16	153.29
Hawaii	137.76	168.80	114.21	157.02	184.93	131.74	160.16	186.35	127.38
Iowa	169.70	206.62	143.89	169.45	206.07	143.90	223.34	270.94	190.59
Kentucky	202.63	250.53	168.96	202.50	250.25	168.69	224.61	282.83	188.45
Louisiana	193.45	241.91	158.74	183.46	226.50	152.00	225.67	296.43	179.47
New Jersey	163.75	194.74	143.73	166.77	197.52	146.63	185.86	234.11	158.93
New Mexico	147.97	178.19	125.04	150.80	181.02	127.64	163.69	210.07	124.65
Seattle-Puget Sound	162.86	192.83	141.46	166.10	195.11	145.31	189.09	234.30	152.88
Utah	128.08	152.11	109.81	128.73	153.05	110.21	130.94	148.33	112.36
SEER 9 Areas ^b	157.07	188.02	135.56	158.53	188.70	137.33	193.32	243.35	163.16
SEER 13 Areas ^b	154.39	184.22	133.64	156.72	185.77	136.28	194.61	243.12	165.39
SEER 18 Areas ^b	162.71	195.51	139.73	165.02	197.16	142.25	197.75	251.00	165.17
Total U.S.	168.51	203.98	143.35	168.44	202.90	143.63	197.94	254.21	163.85

^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta.

The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia.

The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

- Statistic not shown. Rate based on less than 16 cases for the time interval.