


Table 2.18
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2009-2013

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	168.51	0.10		
High Five States				
Kentucky	202.63	0.92	01(01,02)	20.25 ^c
Mississippi	198.61	1.13	02(01,03)	17.86 ^c
West Virginia	196.13	1.30	03(02,05)	16.39 ^c
Louisiana	193.45	0.91	04(03,06)	14.80 ^c
Arkansas	192.16	1.07	05(03,07)	14.04 ^c
Low Five States				
Arizona	149.36	0.65	47(46,48)	-11.37 ^c
New Mexico	147.97	1.16	48(47,49)	-12.19 ^c
Colorado	145.38	0.79	49(48,49)	-13.73 ^c
Hawaii	137.76	1.32	50(50,50)	-18.25 ^c
Utah	128.08	1.10	51(51,51)	-23.99 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	188.11	0.84	08(06,09)	11.63 ^c	Montana	159.04	1.64	41(35,45)	-5.62 ^c
Alaska	176.26	2.81	18(10,29)	4.60	Nebraska	164.13	1.27	34(30,39)	-2.60
Arizona	149.36	0.65	47(46,48)	-11.37 ^c	Nevada	169.37	1.14	27(21,33)	0.51
Arkansas	192.16	1.07	05(03,07)	14.04 ^c	New Hampshire	168.88	1.51	29(20,34)	0.22
California	152.56	0.29	46(44,46)	-9.47 ^c	New Jersey	163.75	0.58	35(33,37)	-2.82
Colorado	145.38	0.79	49(48,49)	-13.73 ^c	New Mexico	147.97	1.16	48(47,49)	-12.19 ^c
Connecticut	156.53	0.87	44(41,45)	-7.11 ^c	New York	160.06	0.38	40(37,42)	-5.02 ^c
Delaware	176.85	1.84	16(12,22)	4.95	North Carolina	173.44	0.58	20(18,22)	2.92
D.C.	182.30	2.52	11(07,19)	8.19 ^c	North Dakota	154.67	1.98	45(39,47)	-8.21 ^c
Florida	160.32	0.36	39(37,42)	-4.86	Ohio	184.06	0.53	10(09,12)	9.23 ^c
Georgia	171.62	0.63	21(20,26)	1.84	Oklahoma	189.09	0.96	07(05,09)	12.21 ^c
Hawaii	137.76	1.32	50(50,50)	-18.25 ^c	Oregon	169.69	0.88	25(21,32)	0.70
Idaho	156.71	1.40	43(38,45)	-7.00 ^c	Pennsylvania	176.84	0.47	17(14,19)	4.94
Illinois	176.19	0.51	19(15,20)	4.56	Rhode Island	171.30	1.66	22(18,32)	1.66
Indiana	185.24	0.73	09(08,11)	9.93 ^c	South Carolina	180.04	0.84	14(11,16)	6.84 ^c
Iowa	169.70	0.97	24(21,32)	0.71	South Dakota	162.53	1.85	36(31,43)	-3.55
Kansas	168.43	1.04	30(22,34)	-0.05	Tennessee	190.80	0.74	06(04,08)	13.23 ^c
Kentucky	202.63	0.92	01(01,02)	20.25 ^c	Texas	161.79	0.38	37(35,39)	-3.99
Louisiana	193.45	0.91	04(03,06)	14.80 ^c	Utah	128.08	1.10	51(51,51)	-23.99 ^c
Maine	181.37	1.46	13(09,16)	7.63 ^c	Vermont	171.19	2.15	23(16,34)	1.59
Maryland	168.23	0.75	31(23,33)	-0.16	Virginia	169.09	0.64	28(22,32)	0.34
Massachusetts	166.84	0.67	32(28,34)	-0.99	Washington	165.67	0.69	33(30,35)	-1.69
Michigan	177.09	0.56	15(14,19)	5.09 ^c	West Virginia	196.13	1.30	03(02,05)	16.39 ^c
Minnesota	161.00	0.75	38(35,42)	-4.46	Wisconsin	169.65	0.73	26(21,31)	0.68
Mississippi	198.61	1.13	02(01,03)	17.86 ^c	Wyoming	158.09	2.33	42(34,46)	-6.18 ^c
Missouri	182.09	0.73	12(10,14)	8.06 ^c					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 5% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.