


Table 2.19
All Cancer Sites (Invasive)

Age-Adjusted Cancer Death^a Rates by State, All Races, 2009-2013

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	203.98	0.17		
High Five States				
Mississippi	256.97	2.01	01(01,02)	25.98 ^c
Kentucky	250.53	1.59	02(01,02)	22.82 ^c
Arkansas	242.54	1.84	03(03,07)	18.91 ^c
Alabama	242.28	1.49	04(03,07)	18.78 ^c
Louisiana	241.91	1.58	05(03,07)	18.59 ^c
Low Five States				
New Mexico	178.19	1.92	47(44,48)	-12.64 ^c
Arizona	177.02	1.05	48(46,48)	-13.21 ^c
Colorado	169.98	1.31	49(49,50)	-16.67 ^c
Hawaii	168.80	2.18	50(49,50)	-17.25 ^c
Utah	152.11	1.80	51(51,51)	-25.43 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	242.28	1.49	04(03,07)	18.78 ^c	Montana	184.67	2.62	44(39,48)	-9.47 ^c
Alaska	206.54	4.65	23(13,38)	1.26	Nebraska	198.52	2.12	32(25,39)	-2.68
Arizona	177.02	1.05	48(46,48)	-13.21 ^c	Nevada	197.13	1.85	34(27,40)	-3.36
Arkansas	242.54	1.84	03(03,07)	18.91 ^c	New Hampshire	203.41	2.52	26(21,35)	-0.28
California	180.35	0.48	46(44,47)	-11.58 ^c	New Jersey	194.74	0.98	36(33,40)	-4.53
Colorado	169.98	1.31	49(49,50)	-16.67 ^c	New Mexico	178.19	1.92	47(44,48)	-12.64 ^c
Connecticut	186.64	1.46	43(40,45)	-8.50 ^c	New York	190.68	0.65	41(38,43)	-6.52 ^c
Delaware	212.41	3.09	19(12,27)	4.14	North Carolina	218.21	1.02	14(12,17)	6.98 ^c
D.C.	216.33	4.34	15(09,27)	6.06 ^c	North Dakota	191.77	3.31	40(29,45)	-5.99 ^c
Florida	193.13	0.58	39(36,41)	-5.32 ^c	Ohio	223.47	0.89	11(10,13)	9.55 ^c
Georgia	215.66	1.12	16(13,20)	5.73 ^c	Oklahoma	230.50	1.62	08(08,10)	13.00 ^c
Hawaii	168.80	2.18	50(49,50)	-17.25 ^c	Oregon	200.33	1.44	31(25,35)	-1.79
Idaho	186.82	2.29	42(38,46)	-8.41 ^c	Pennsylvania	214.05	0.80	17(15,21)	4.94
Illinois	211.89	0.87	21(16,22)	3.88	Rhode Island	212.75	2.86	18(12,26)	4.30
Indiana	228.04	1.25	09(08,11)	11.80 ^c	South Carolina	227.95	1.47	10(08,11)	11.75 ^c
Iowa	206.62	1.61	22(20,29)	1.30	South Dakota	193.49	3.03	37(27,44)	-5.14 ^c
Kansas	202.12	1.73	29(22,34)	-0.91	Tennessee	241.18	1.30	06(03,07)	18.24 ^c
Kentucky	250.53	1.59	02(01,02)	22.82 ^c	Texas	198.42	0.65	33(29,35)	-2.73
Louisiana	241.91	1.58	05(03,07)	18.59 ^c	Utah	152.11	1.80	51(51,51)	-25.43 ^c
Maine	220.57	2.44	12(10,18)	8.13 ^c	Vermont	202.89	3.56	27(19,39)	-0.53
Maryland	202.41	1.28	28(23,32)	-0.77	Virginia	206.21	1.10	24(21,28)	1.09
Massachusetts	200.35	1.13	30(26,34)	-1.78	Washington	196.28	1.14	35(31,39)	-3.77
Michigan	212.11	0.94	20(16,22)	3.99	West Virginia	239.84	2.18	07(03,07)	17.58 ^c
Minnesota	193.35	1.25	38(34,41)	-5.21 ^c	Wisconsin	205.22	1.21	25(21,29)	0.61
Mississippi	256.97	2.01	01(01,02)	25.98 ^c	Wyoming	184.22	3.77	45(36,48)	-9.69 ^c
Missouri	219.59	1.23	13(11,16)	7.65 ^c					



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 5% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.