


Table 3.19
Cancer of the Brain and Other Nervous System (Invasive)
Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013


Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	5.27	0.03		
High Five States				
South Dakota	6.72	0.55	01(01,36)	27.52 ^c
Idaho	6.70	0.42	02(01,23)	27.23 ^c
Vermont	6.66	0.63	03(01,43)	26.50 ^c
Maine	6.46	0.42	04(01,32)	22.58 ^c
Alaska	6.44	0.76	05(01,49)	22.29 ^c
Low Five States				
New Jersey	4.71	0.15	47(32,50)	-10.61
New York	4.58	0.10	48(41,50)	-13.10
D.C.	4.21	0.60	49(09,51)	-20.00 ^c
New Mexico	4.08	0.28	50(40,51)	-22.48 ^c
Hawaii	3.01	0.28	51(50,51)	-42.89 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	6.15	0.23	10(01,23)	16.68 ^c	Montana	5.05	0.43	37(05,50)	-4.06
Alaska	6.44	0.76	05(01,49)	22.29 ^c	Nebraska	6.21	0.38	09(01,36)	17.88 ^c
Arizona	4.95	0.17	43(22,49)	-6.10	Nevada	4.99	0.28	42(14,50)	-5.31
Arkansas	6.06	0.29	13(01,32)	15.07 ^c	New Hampshire	6.09	0.43	12(01,42)	15.64 ^c
California	5.23	0.08	30(22,41)	-0.77	New Jersey	4.71	0.15	47(32,50)	-10.61
Colorado	5.47	0.22	21(09,44)	3.92	New Mexico	4.08	0.28	50(40,51)	-22.48 ^c
Connecticut	5.04	0.24	40(15,49)	-4.24	New York	4.58	0.10	48(41,50)	-13.10
Delaware	4.84	0.47	45(06,50)	-8.10	North Carolina	5.46	0.16	22(12,40)	3.72
D.C.	4.21	0.60	49(09,51)	-20.00 ^c	North Dakota	5.19	0.55	32(01,50)	-1.41
Florida	5.05	0.10	38(25,45)	-4.10	Ohio	5.44	0.14	25(13,39)	3.19
Georgia	5.12	0.16	34(19,47)	-2.88	Oklahoma	5.46	0.24	23(08,45)	3.70
Hawaii	3.01	0.28	51(50,51)	-42.89 ^c	Oregon	6.29	0.25	08(01,22)	19.37 ^c
Idaho	6.70	0.42	02(01,23)	27.23 ^c	Pennsylvania	5.13	0.12	33(21,45)	-2.66
Illinois	5.09	0.13	36(21,46)	-3.40	Rhode Island	5.05	0.44	39(04,50)	-4.18
Indiana	5.56	0.19	20(09,39)	5.60	South Carolina	5.57	0.22	19(07,41)	5.81
Iowa	6.35	0.28	07(01,22)	20.48 ^c	South Dakota	6.72	0.55	01(01,36)	27.52 ^c
Kansas	6.39	0.30	06(01,24)	21.29 ^c	Tennessee	5.72	0.19	15(06,34)	8.54
Kentucky	5.45	0.23	24(09,45)	3.49	Texas	4.93	0.10	44(30,47)	-6.41
Louisiana	5.26	0.23	28(12,47)	-0.05	Utah	5.27	0.31	27(07,49)	-0.03
Maine	6.46	0.42	04(01,32)	22.58 ^c	Vermont	6.66	0.63	03(01,43)	26.50 ^c
Maryland	5.10	0.20	35(16,48)	-3.25	Virginia	4.71	0.16	46(31,50)	-10.50
Massachusetts	5.23	0.18	29(14,46)	-0.74	Washington	6.14	0.19	11(02,22)	16.61 ^c
Michigan	5.69	0.15	16(08,32)	7.97	West Virginia	5.00	0.31	41(12,50)	-5.12
Minnesota	5.64	0.21	17(07,38)	7.13	Wisconsin	5.82	0.20	14(04,31)	10.53
Mississippi	5.64	0.29	18(04,45)	7.07	Wyoming	5.23	0.61	31(01,50)	-0.80
Missouri	5.32	0.19	26(12,45)	1.01					



Age-Adjusted Death
Rates per 100,000
Quantile Interval



- ^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).
- ^b Difference between state rate and total U.S. rate is statistically significant ($p \leq .0002$).
- ^c Absolute percent difference between state rate and total U.S. rate is 15% or more.
- ^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.
- SE Standard error of the rate.
- PD Percent difference between state rate and total U.S. rate.
- Statistic not shown. Rate based on less than 16 cases for the time interval.