

Table 4.12
Cancer of the Female Breast (*In Situ*)

SEER Incidence^a Rates, Age-Adjusted and Age-Specific Rates, by Race

	All Races, Females	White Females	Black Females
<u>Age-Adjusted Rates, 2009-2013</u>			
Age at Diagnosis:			
All ages	31.5	31.5	31.0
Under 65	23.3	23.4	21.6
65 and over	88.0	88.0	96.2
All ages (IARC world std) ^b	23.8	23.8	23.2
<u>Age-Specific Rates, 2009-2013</u>			
Age at Diagnosis:			
<1	-	-	-
1-4	-	-	-
5-9	-	-	-
10-14	-	-	-
15-19	-	-	-
20-24	0.2	0.2	-
25-29	0.6	0.5	0.8
30-34	2.6	2.3	3.6
35-39	10.3	10.4	9.4
40-44	40.9	41.1	33.9
45-49	62.4	63.2	49.6
50-54	71.7	72.9	61.7
55-59	74.0	73.5	77.2
60-64	87.2	85.6	98.6
65-69	108.3	107.6	115.1
70-74	103.0	102.9	111.5
75-79	91.1	91.5	102.9
80-84	66.4	67.4	74.6
85+	31.8	31.7	36.7

^a SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^b Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.