


Table 5.14  
Cancer of the Cervix Uteri (Invasive)

Age-Adjusted Cancer Death<sup>a</sup> Rates By State, All Races, 2009-2013

Females

State	Rate	SE	Rank(CI) <sup>d</sup>	PD
TOTAL U.S.	2.30	0.02		
High Five States				
West Virginia	3.45	0.26	01(01,12)	50.09 <sup>c</sup>
Mississippi	3.44	0.21	02(01,09)	49.63 <sup>c</sup>
Arkansas	3.43	0.21	03(01,10)	49.12 <sup>c</sup>
Alabama	3.12	0.16	04(01,13)	35.99 <sup>c</sup>
Kentucky	2.99	0.16	05(01,16)	30.01 <sup>c</sup>
Low Five States				
Utah	1.43	0.16	47(33,51)	-37.89 <sup>c</sup>
Massachusetts	1.33	0.08	48(40,51)	-41.94 <sup>c</sup>
Rhode Island	1.27	0.21	49(32,51)	-44.77 <sup>c</sup>
North Dakota	1.24	0.27	50(26,51)	-46.11 <sup>c</sup>
Vermont	1.18	0.25	51(30,51)	-48.52 <sup>c</sup>

State	Rate	SE	Rank(CI) <sup>d</sup>	PD	State	Rate	SE	Rank(CI) <sup>d</sup>	PD
Alabama	3.12	0.16	04(01,13)	35.99 <sup>c</sup>	Montana	1.82	0.26	35(13,51)	-20.64 <sup>c</sup>
Alaska	1.92	0.35	34(04,51)	-16.39 <sup>c</sup>	Nebraska	2.04	0.21	31(10,45)	-11.14
Arizona	2.09	0.11	26(17,38)	-8.91	Nevada	2.13	0.17	23(12,41)	-7.20
Arkansas	3.43	0.21	03(01,10)	49.12 <sup>c</sup>	New Hampshire	1.59	0.20	42(22,51)	-30.83 <sup>c</sup>
California	2.26	0.05	22(17,29)	-1.77	New Jersey	2.34	0.10	21(13,30)	1.83
Colorado	1.54	0.11	43(33,50)	-33.03 <sup>c</sup>	New Mexico	2.06	0.20	29(12,44)	-10.19
Connecticut	1.60	0.12	41(30,50)	-30.56 <sup>c</sup>	New York	2.34	0.06	20(14,27)	1.98
Delaware	2.61	0.32	15(01,40)	13.55	North Carolina	2.08	0.09	27(20,37)	-9.61
D.C.	2.92	0.43	07(01,38)	27.08 <sup>c</sup>	North Dakota	1.24	0.27	50(26,51)	-46.11 <sup>c</sup>
Florida	2.74	0.07	09(05,17)	19.39 <sup>c</sup>	Ohio	2.52	0.09	17(09,24)	9.65
Georgia	2.61	0.10	13(07,21)	13.70	Oklahoma	2.91	0.18	08(02,20)	26.47 <sup>c</sup>
Hawaii	2.06	0.24	30(08,47)	-10.52	Oregon	1.78	0.13	38(24,47)	-22.58 <sup>c</sup>
Idaho	1.67	0.21	40(21,51)	-27.24 <sup>c</sup>	Pennsylvania	2.12	0.08	24(19,35)	-7.82
Illinois	2.42	0.08	19(11,26)	5.41	Rhode Island	1.27	0.21	49(32,51)	-44.77 <sup>c</sup>
Indiana	2.46	0.12	18(08,28)	6.90	South Carolina	2.67	0.15	12(04,23)	16.26 <sup>c</sup>
Iowa	2.01	0.16	32(16,43)	-12.65	South Dakota	1.69	0.28	39(14,51)	-26.37 <sup>c</sup>
Kansas	1.94	0.16	33(17,45)	-15.37 <sup>c</sup>	Tennessee	2.68	0.12	11(05,21)	16.59 <sup>c</sup>
Kentucky	2.99	0.16	05(01,16)	30.01 <sup>c</sup>	Texas	2.73	0.07	10(06,17)	18.72 <sup>c</sup>
Louisiana	2.96	0.16	06(02,16)	28.88 <sup>c</sup>	Utah	1.43	0.16	47(33,51)	-37.89 <sup>c</sup>
Maine	1.44	0.19	46(29,51)	-37.27 <sup>c</sup>	Vermont	1.18	0.25	51(30,51)	-48.52 <sup>c</sup>
Maryland	2.07	0.11	28(18,39)	-9.79	Virginia	1.80	0.09	36(27,44)	-21.56 <sup>c</sup>
Massachusetts	1.33	0.08	48(40,51)	-41.94 <sup>c</sup>	Washington	1.79	0.10	37(26,44)	-21.91 <sup>c</sup>
Michigan	2.12	0.09	25(18,36)	-7.91	West Virginia	3.45	0.26	01(01,12)	50.09 <sup>c</sup>
Minnesota	1.45	0.10	44(36,51)	-36.78 <sup>c</sup>	Wisconsin	1.45	0.10	45(37,51)	-37.08 <sup>c</sup>
Mississippi	3.44	0.21	02(01,09)	49.63 <sup>c</sup>	Wyoming	2.60	0.42	16(01,46)	13.32
Missouri	2.61	0.13	14(06,23)	13.60					



<sup>a</sup> US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

<sup>b</sup> Difference between state rate and total U.S. rate is statistically significant ( $p < .0002$ ).

<sup>c</sup> Absolute percent difference between state rate and total U.S. rate is 15% or more.

<sup>d</sup> Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.