

Table 6.24
Cancer of the Colon and Rectum (Invasive)

Age-Adjusted SEER Death Rates^a
By Registry, Race and Sex

	All Races			Whites			Blacks		
	Total	Males	Females	Total	Males	Females	Total	Males	Females
<u>SEER Death Rates^a, 2009-2013</u>									
California	13.86	16.37	11.85	13.90	16.45	11.84	20.71	24.12	18.17
Greater Bay Area	12.68	14.73	11.04	12.83	14.96	11.11	18.46	20.59	17.14
San Francisco-Oakland	13.14	15.30	11.41	13.22	15.49	11.34	18.50	21.06	16.91
San Jose-Monterey	11.76	13.65	10.26	12.14	14.03	10.67	18.20	17.35	18.98
Los Angeles	14.25	17.07	12.06	13.89	16.65	11.69	22.01	26.10	19.12
Greater California	14.10	16.62	12.05	14.21	16.79	12.10	20.54	23.93	17.73
Connecticut	12.20	14.32	10.56	12.12	14.24	10.43	14.84	18.59	12.55
Detroit	16.15	19.44	13.79	14.75	17.76	12.51	22.19	28.00	18.44
Georgia	15.48	19.44	12.59	14.22	17.87	11.41	20.13	26.56	16.32
Atlanta	14.72	19.00	11.83	12.89	16.58	10.21	19.08	26.17	15.17
Rural Georgia	19.97	27.77	15.06	16.46	20.37	13.78	25.96	45.37	15.96
Greater Georgia	15.76	19.53	12.91	14.69	18.33	11.82	20.65	26.07	17.20
Hawaii	13.68	17.30	10.75	13.49	15.63	11.46	-	-	-
Iowa	16.43	19.44	14.10	16.35	19.38	14.01	22.20	21.24	22.91
Kentucky	17.61	21.15	14.77	17.43	21.02	14.58	21.89	24.48	19.38
Louisiana	18.08	22.10	14.97	16.21	19.59	13.54	23.95	30.75	19.21
New Jersey	15.65	18.88	13.26	15.51	18.70	13.13	20.48	26.42	16.69
New Mexico	14.31	17.58	11.70	14.39	17.66	11.77	16.80	-	18.60
Seattle-Puget Sound	13.03	15.10	11.30	13.09	15.01	11.46	15.15	19.73	11.63
Utah	11.50	13.05	10.06	11.39	12.90	9.98	19.91	-	-
SEER 9 Areas ^b	13.98	16.62	11.90	13.65	16.14	11.65	19.36	24.28	16.21
SEER 13 Areas ^b	13.95	16.60	11.87	13.61	16.11	11.60	20.07	24.87	16.93
SEER 18 Areas ^b	14.73	17.60	12.48	14.43	17.21	12.21	20.86	25.97	17.40
Total U.S.	15.10	18.13	12.69	14.68	17.60	12.32	20.68	26.07	17.10

^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b The SEER 9 areas are San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah and Atlanta. The SEER 13 areas comprise the SEER 9 areas plus San Jose-Monterey, Los Angeles, the Alaska Native Registry and Rural Georgia. The SEER 18 areas comprise the SEER 13 areas plus California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey and Georgia excluding ATL/RG.

- Statistic not shown. Rate based on less than 16 cases for the time interval.