


Table 6.26
Cancer of the Colon and Rectum (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	18.13	0.05		
High Five States				
Mississippi	23.82	0.61	01(01,04)	31.38 ^c
West Virginia	23.12	0.68	02(01,06)	27.55 ^c
Louisiana	22.10	0.48	03(01,09)	21.93 ^c
Arkansas	22.01	0.56	04(01,10)	21.38 ^c
Kentucky	21.15	0.46	05(02,14)	16.64 ^c
Low Five States				
Arizona	15.52	0.31	47(39,50)	-14.37 ^c
New Hampshire	15.28	0.70	48(29,51)	-15.72 ^c
Colorado	14.83	0.38	49(43,51)	-18.22 ^c
Connecticut	14.32	0.40	50(46,51)	-21.01 ^c
Utah	13.05	0.52	51(49,51)	-28.03 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	21.14	0.44	06(02,13)	16.58 ^c	Montana	16.46	0.77	41(21,50)	-9.20
Alaska	18.20	1.35	24(03,49)	0.41	Nebraska	18.75	0.65	19(08,37)	3.41
Arizona	15.52	0.31	47(39,50)	-14.37 ^c	Nevada	20.44	0.59	09(03,22)	12.74 ^c
Arkansas	22.01	0.56	04(01,10)	21.38 ^c	New Hampshire	15.28	0.70	48(29,51)	-15.72 ^c
California	16.37	0.14	42(35,45)	-9.73	New Jersey	18.88	0.30	18(12,28)	4.12
Colorado	14.83	0.38	49(43,51)	-18.22 ^c	New Mexico	17.58	0.60	30(15,44)	-3.02
Connecticut	14.32	0.40	50(46,51)	-21.01 ^c	New York	17.40	0.20	31(25,38)	-4.01
Delaware	17.92	0.90	28(08,47)	-1.14	North Carolina	17.61	0.29	29(21,39)	-2.85
D.C.	18.03	1.24	27(04,49)	-0.54	North Dakota	18.30	1.02	22(05,47)	0.93
Florida	16.77	0.17	38(30,43)	-7.52	Ohio	20.42	0.27	10(05,15)	12.65 ^c
Georgia	19.44	0.33	15(09,24)	7.22	Oklahoma	20.99	0.49	07(02,16)	15.75 ^c
Hawaii	17.30	0.69	33(16,47)	-4.59	Oregon	16.92	0.42	36(24,46)	-6.67
Idaho	16.31	0.67	43(22,50)	-10.06 ^c	Pennsylvania	19.58	0.24	14(09,21)	8.01
Illinois	19.63	0.26	13(08,22)	8.25	Rhode Island	16.65	0.80	39(18,50)	-8.14
Indiana	19.79	0.37	12(07,22)	9.17	South Carolina	19.31	0.43	17(08,27)	6.49
Iowa	19.44	0.50	16(07,28)	7.21	South Dakota	18.72	0.94	20(05,44)	3.28
Kansas	18.11	0.52	26(13,39)	-0.08	Tennessee	20.95	0.38	08(03,13)	15.54 ^c
Kentucky	21.15	0.46	05(02,14)	16.64 ^c	Texas	18.65	0.20	21(16,28)	2.89
Louisiana	22.10	0.48	03(01,09)	21.93 ^c	Utah	13.05	0.52	51(49,51)	-28.03 ^c
Maine	17.00	0.69	35(18,48)	-6.23	Vermont	16.24	1.02	44(15,51)	-10.41 ^c
Maryland	18.12	0.38	25(16,36)	-0.04	Virginia	17.30	0.32	32(23,42)	-4.58
Massachusetts	16.53	0.33	40(29,47)	-8.83	Washington	15.63	0.32	46(38,49)	-13.78 ^c
Michigan	18.29	0.28	23(17,32)	0.90	West Virginia	23.12	0.68	02(01,06)	27.55 ^c
Minnesota	15.68	0.35	45(37,49)	-13.53 ^c	Wisconsin	16.81	0.35	37(26,46)	-7.26
Mississippi	23.82	0.61	01(01,04)	31.38 ^c	Wyoming	17.25	1.13	34(07,50)	-4.84
Missouri	19.85	0.37	11(06,22)	9.50					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 10% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.