

Table 7.7
Cancer of the Corpus and Uterus, NOS (Invasive)

SEER Incidence^a and U.S. Death^b Rates, Age-Adjusted and Age-Specific Rates, by Race

	SEER Incidence ^a			U.S. Mortality ^b		
	All Races Females	White Females	Black Females	All Races Females	White Females	Black Females
<u>Age-Adjusted Rates, 2009-2013</u>						
Age at Diagnosis/Death:						
All ages	25.4	26.0	24.6	4.5	4.1	7.9
Under 65	16.4	16.9	13.3	1.6	1.5	2.6
65 and over	87.3	89.3	102.4	23.9	22.2	44.3
All ages (IARC world std) ^c	19.0	19.4	18.0	2.8	2.6	5.1
<u>Age-Specific Rates, 2009-2013</u>						
Age at Diagnosis/Death:						
<1	-	-	-	-	-	-
1-4	-	-	-	-	-	-
5-9	-	-	-	-	-	-
10-14	-	-	-	-	-	-
15-19	0.1	-	-	-	-	-
20-24	0.4	0.4	-	-	-	-
25-29	2.0	1.9	1.9	0.1	0.1	-
30-34	4.6	4.5	3.9	0.2	0.3	0.3
35-39	8.8	8.9	6.6	0.5	0.5	0.7
40-44	14.5	14.7	10.0	1.1	1.0	1.3
45-49	24.8	24.9	16.7	2.0	2.0	2.6
50-54	45.5	47.2	29.1	4.0	3.8	5.2
55-59	75.7	79.3	59.1	7.5	6.9	12.2
60-64	94.3	96.5	101.4	13.3	11.9	25.9
65-69	104.0	106.5	119.5	18.1	16.1	39.1
70-74	96.5	97.8	121.9	22.5	20.5	44.8
75-79	85.0	87.2	99.4	25.1	23.0	49.2
80-84	69.9	72.1	78.2	27.9	26.6	45.4
85+	55.8	57.5	57.9	33.1	32.6	44.7

^a SEER 18 areas. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

^b US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention.

^c Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130), unless noted.

- Rates are per 100,000 and are age-adjusted to the IARC world standard population.

- Statistic not shown. Rate based on less than 16 cases for the time interval.