

Table 8.13
Cancer of the Esophagus (Invasive)

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2011-2013 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.00	0.00	0.00	0.78	0.78	Asian/ Pacific Islander	0	0.00	0.00	0.00	0.44	0.45
	10	0.00	0.00	0.00	0.79	0.79		10	0.00	0.00	0.00	0.45	0.46
	20	0.00	0.00	0.03	0.79	0.79		20	0.00	0.00	0.01	0.45	0.46
	30	0.00	0.03	0.13	0.80	0.80		30	0.00	0.01	0.06	0.45	0.46
	40	0.03	0.13	0.35	0.81	0.81		40	0.01	0.06	0.15	0.45	0.46
	50	0.10	0.33	0.60	0.80	0.81		50	0.05	0.14	0.28	0.45	0.46
	60	0.25	0.53	0.72	0.75	0.77		60	0.10	0.24	0.36	0.42	0.43
	70	0.34	0.55	-	0.59	0.63		70	0.15	0.28	-	0.34	0.38
80	0.30	-	-	0.36	0.43	80	0.16	-	-	0.24	0.30		
White	0	0.00	0.00	0.00	0.83	0.82	American Indian/ Alaska Native ^a	0	0.00	0.00	0.00	0.58	0.46
	10	0.00	0.00	0.01	0.84	0.83		10	0.00	0.00	0.01	0.59	0.47
	20	0.00	0.01	0.04	0.84	0.83		20	0.00	0.01	0.04	0.59	0.47
	30	0.01	0.04	0.14	0.85	0.84		30	0.00	0.03	0.11	0.60	0.48
	40	0.03	0.14	0.37	0.86	0.85		40	0.03	0.12	0.27	0.62	0.49
	50	0.11	0.35	0.64	0.86	0.85		50	0.09	0.25	0.36	0.62	0.50
	60	0.26	0.57	0.76	0.80	0.80		60	0.17	0.29	0.51	0.58	0.49
	70	0.36	0.58	-	0.63	0.66		70	0.14	0.39	-	0.47	0.43
80	0.32	-	-	0.38	0.45	80	0.37	-	-	0.48	0.29		
Black	0	0.00	0.00	0.00	0.61	0.56	Hispanic ^b	0	0.00	0.00	0.00	0.57	0.53
	10	0.00	0.00	0.00	0.62	0.57		10	0.00	0.00	0.00	0.58	0.54
	20	0.00	0.00	0.03	0.62	0.57		20	0.00	0.00	0.02	0.58	0.54
	30	0.00	0.03	0.14	0.64	0.58		30	0.00	0.02	0.09	0.58	0.55
	40	0.03	0.14	0.35	0.65	0.59		40	0.02	0.08	0.21	0.59	0.55
	50	0.12	0.33	0.55	0.65	0.60		50	0.07	0.20	0.40	0.58	0.55
	60	0.24	0.48	0.58	0.59	0.55		60	0.14	0.35	0.51	0.55	0.53
	70	0.30	0.43	-	0.45	0.44		70	0.24	0.42	-	0.46	0.47
80	0.21	-	-	0.24	0.29	80	0.24	-	-	0.29	0.37		

Devcan 6.7.4, August 2016, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives. Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.