


Table 8.18
Cancer of the Esophagus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Males and Females

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	4.14	0.02		
High Five States				
Maine	5.69	0.26	01(01,07)	37.49 ^c
New Hampshire	5.53	0.27	02(01,12)	33.61 ^c
Wyoming	5.17	0.42	03(01,41)	24.85 ^c
West Virginia	5.01	0.21	04(01,23)	21.02 ^c
Ohio	5.00	0.09	05(02,12)	20.85 ^c
Low Five States				
New Mexico	3.46	0.18	47(37,51)	-16.51 ^c
California	3.41	0.04	48(46,50)	-17.57 ^c
Texas	3.35	0.05	49(46,51)	-18.98 ^c
Utah	3.10	0.17	50(46,51)	-25.12 ^c
Hawaii	3.01	0.19	51(46,51)	-27.20 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	4.01	0.12	40(22,46)	-3.20	Montana	4.20	0.26	30(05,47)	1.58
Alaska	4.42	0.43	20(01,50)	6.79	Nebraska	4.63	0.21	15(03,37)	11.95
Arizona	4.09	0.11	35(20,45)	-1.18	Nevada	4.67	0.19	14(03,33)	12.71
Arkansas	4.11	0.16	34(15,46)	-0.82	New Hampshire	5.53	0.27	02(01,12)	33.61 ^c
California	3.41	0.04	48(46,50)	-17.57 ^c	New Jersey	3.94	0.09	42(28,46)	-4.81
Colorado	3.88	0.13	45(27,47)	-6.20	New Mexico	3.46	0.18	47(37,51)	-16.51 ^c
Connecticut	4.03	0.14	38(19,47)	-2.66	New York	3.94	0.06	43(31,46)	-4.90
Delaware	4.32	0.28	27(03,47)	4.38	North Carolina	3.89	0.09	44(30,47)	-6.00
D.C.	4.12	0.38	32(03,51)	-0.52	North Dakota	4.25	0.34	28(03,49)	2.76
Florida	3.97	0.06	41(30,46)	-4.15	Ohio	5.00	0.09	05(02,12)	20.85 ^c
Georgia	3.78	0.09	46(34,47)	-8.71	Oklahoma	4.34	0.14	25(10,41)	4.90
Hawaii	3.01	0.19	51(46,51)	-27.20 ^c	Oregon	4.41	0.14	22(09,39)	6.48
Idaho	4.05	0.22	37(11,47)	-2.08	Pennsylvania	4.81	0.08	08(03,18)	16.19 ^c
Illinois	4.42	0.08	19(12,32)	6.80	Rhode Island	4.67	0.28	13(02,43)	12.74
Indiana	4.91	0.12	06(02,18)	18.70 ^c	South Carolina	4.11	0.12	33(18,46)	-0.61
Iowa	4.61	0.16	16(04,32)	11.49	South Dakota	4.83	0.32	07(01,42)	16.68 ^c
Kansas	4.40	0.17	23(07,42)	6.20	Tennessee	4.14	0.11	31(19,45)	-0.01
Kentucky	4.35	0.13	24(10,39)	5.12	Texas	3.35	0.05	49(46,51)	-18.98 ^c
Louisiana	4.42	0.14	21(08,38)	6.79	Utah	3.10	0.17	50(46,51)	-25.12 ^c
Maine	5.69	0.26	01(01,07)	37.49 ^c	Vermont	4.77	0.36	10(01,45)	15.18 ^c
Maryland	4.03	0.12	39(22,46)	-2.73	Virginia	4.08	0.10	36(22,46)	-1.46
Massachusetts	4.74	0.11	12(03,23)	14.43	Washington	4.48	0.11	17(09,32)	8.23
Michigan	4.80	0.09	09(03,19)	15.92 ^c	West Virginia	5.01	0.21	04(01,23)	21.02 ^c
Minnesota	4.45	0.12	18(08,34)	7.61	Wisconsin	4.75	0.12	11(03,23)	14.73
Mississippi	4.22	0.16	29(11,46)	2.00	Wyoming	5.17	0.42	03(01,41)	24.85 ^c
Missouri	4.33	0.11	26(12,39)	4.56					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.