



Table 8.19
Cancer of the Esophagus (Invasive)

Age-Adjusted Cancer Death^a Rates By State, All Races, 2009-2013

Males

State	Rate	SE	Rank(CI) ^d	PD
TOTAL U.S.	7.37	0.03		
High Five States				
Maine	10.27	0.51	01(01,09)	39.24 ^c
New Hampshire	9.80	0.54	02(01,15)	32.92 ^c
West Virginia	9.09	0.41	03(01,20)	23.22 ^c
Ohio	9.07	0.18	04(02,12)	22.96 ^c
Wyoming	8.91	0.81	05(01,45)	20.87 ^c
Low Five States				
Texas	6.01	0.11	47(45,51)	-18.46 ^c
New Mexico	5.95	0.34	48(37,51)	-19.31 ^c
California	5.95	0.09	49(45,51)	-19.35 ^c
Hawaii	5.54	0.39	50(43,51)	-24.83 ^c
Utah	5.45	0.33	51(45,51)	-26.06 ^c

State	Rate	SE	Rank(CI) ^d	PD	State	Rate	SE	Rank(CI) ^d	PD
Alabama	7.20	0.25	32(18,46)	-2.38	Montana	7.07	0.50	39(10,50)	-4.16
Alaska	7.07	0.81	40(02,51)	-4.17	Nebraska	8.36	0.43	14(02,36)	13.40
Arizona	7.09	0.21	37(21,46)	-3.79	Nevada	7.90	0.35	18(05,42)	7.13
Arkansas	7.27	0.31	30(14,46)	-1.36	New Hampshire	9.80	0.54	02(01,15)	32.92 ^c
California	5.95	0.09	49(45,51)	-19.35 ^c	New Jersey	7.04	0.18	41(25,46)	-4.58
Colorado	6.92	0.25	44(23,47)	-6.10	New Mexico	5.95	0.34	48(37,51)	-19.31 ^c
Connecticut	7.14	0.28	35(18,46)	-3.20	New York	7.00	0.12	43(29,46)	-5.13
Delaware	7.18	0.54	33(07,50)	-2.57	North Carolina	7.09	0.18	38(24,46)	-3.85
D.C.	6.63	0.75	46(06,51)	-10.05	North Dakota	7.80	0.67	22(02,49)	5.74
Florida	7.01	0.11	42(29,46)	-4.87	Ohio	9.07	0.18	04(02,12)	22.96 ^c
Georgia	6.78	0.19	45(30,47)	-8.04	Oklahoma	7.86	0.29	20(08,40)	6.53
Hawaii	5.54	0.39	50(43,51)	-24.83 ^c	Oregon	7.76	0.28	23(09,41)	5.24
Idaho	7.13	0.44	36(11,49)	-3.28	Pennsylvania	8.74	0.16	08(03,15)	18.56 ^c
Illinois	7.90	0.16	17(12,30)	7.16	Rhode Island	8.60	0.57	10(01,40)	16.66 ^c
Indiana	8.89	0.24	07(02,16)	20.51 ^c	South Carolina	7.22	0.25	31(17,46)	-2.05
Iowa	8.55	0.33	12(02,26)	15.95 ^c	South Dakota	8.90	0.64	06(01,38)	20.74 ^c
Kansas	8.08	0.34	15(04,36)	9.58	Tennessee	7.55	0.22	27(14,42)	2.44
Kentucky	7.88	0.27	19(09,38)	6.83	Texas	6.01	0.11	47(45,51)	-18.46 ^c
Louisiana	7.83	0.27	21(08,40)	6.25	Utah	5.45	0.33	51(45,51)	-26.06 ^c
Maine	10.27	0.51	01(01,09)	39.24 ^c	Vermont	8.05	0.69	16(01,49)	9.13
Maryland	7.15	0.23	34(19,46)	-2.98	Virginia	7.36	0.20	29(17,44)	-0.23
Massachusetts	8.72	0.23	09(02,18)	18.32 ^c	Washington	7.75	0.22	24(12,38)	5.14
Michigan	8.56	0.19	11(04,19)	16.03 ^c	West Virginia	9.09	0.41	03(01,20)	23.22 ^c
Minnesota	7.52	0.24	28(13,44)	1.95	Wisconsin	8.39	0.24	13(04,24)	13.75
Mississippi	7.60	0.33	25(10,45)	3.11	Wyoming	8.91	0.81	05(01,45)	20.87 ^c
Missouri	7.56	0.22	26(14,42)	2.56					



^a US Mortality Files, National Center for Health Statistics, Centers for Disease Control and Prevention. Rates are per 100,000 and are age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130).

^b Difference between state rate and total U.S. rate is statistically significant ($p < .0002$).

^c Absolute percent difference between state rate and total U.S. rate is 15% or more.

^d Rank of state level death rate and the 95% confidence intervals (low, high) for the rank.

SE Standard error of the rate.

PD Percent difference between state rate and total U.S. rate.

- Statistic not shown. Rate based on less than 16 cases for the time interval.