

Table 13.21
Leukemia

Risk of Being Diagnosed With Cancer in 10, 20 and 30 Years,
Lifetime Risk of Being Diagnosed with Cancer Given Alive and Cancer-Free at Current Age, and
Lifetime Risk of Dying from Cancer Given Alive at Current Age
Males, 2011-2013 By Race/Ethnicity

Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer	Race/ Ethnicity	Current Age	Risk of Being Diagnosed with Cancer				Risk of Dying from Cancer
		+10 yrs	+20 yrs	+30 yrs	Ever				+10 yrs	+20 yrs	+30 yrs	Ever	
All Races	0	0.06	0.10	0.13	1.77	1.03	Asian/ Pacific Islander	0	0.06	0.09	0.12	1.17	0.78
	10	0.04	0.07	0.11	1.73	1.04		10	0.03	0.06	0.09	1.12	0.78
	20	0.03	0.07	0.15	1.70	1.03		20	0.03	0.06	0.10	1.09	0.77
	30	0.04	0.12	0.29	1.69	1.03		30	0.03	0.08	0.17	1.07	0.77
	40	0.08	0.25	0.59	1.67	1.04		40	0.05	0.14	0.31	1.05	0.76
	50	0.17	0.53	1.07	1.65	1.05		50	0.09	0.26	0.57	1.02	0.75
	60	0.39	0.97	1.46	1.58	1.07		60	0.18	0.50	0.82	0.96	0.74
	70	0.68	1.25	-	1.40	1.05		70	0.35	0.70	-	0.85	0.70
White	80	0.81	-	-	1.02	0.90	American Indian/ Alaska Native ^a	80	0.43	-	-	0.63	0.56
	0	0.06	0.10	0.13	1.85	1.07		0	0.08	0.11	0.16	1.20	0.56
	10	0.04	0.07	0.12	1.81	1.08		10	0.03	0.08	0.12	1.14	0.56
	20	0.03	0.08	0.16	1.78	1.08		20	0.05	0.09	0.13	1.11	0.56
	30	0.05	0.13	0.30	1.76	1.08		30	0.04	0.08	0.19	1.09	0.56
	40	0.08	0.26	0.62	1.75	1.08		40	0.04	0.16	0.38	1.08	0.57
	50	0.18	0.56	1.12	1.72	1.10		50	0.12	0.36	0.64	1.09	0.59
	60	0.40	1.02	1.53	1.65	1.12		60	0.26	0.57	0.98	1.06	0.62
Black	70	0.71	1.30	-	1.45	1.10	Hispanic ^b	70	0.36	0.85	-	0.95	0.60
	80	0.85	-	-	1.06	0.94		80	0.71	-	-	0.85	0.55
	0	0.04	0.06	0.07	1.18	0.69		0	0.07	0.11	0.15	1.46	0.82
	10	0.02	0.04	0.08	1.17	0.70		10	0.04	0.08	0.13	1.41	0.82
	20	0.02	0.05	0.13	1.16	0.70		20	0.04	0.09	0.16	1.37	0.81
	30	0.04	0.11	0.25	1.16	0.70		30	0.05	0.12	0.24	1.34	0.81
	40	0.08	0.22	0.49	1.15	0.71		40	0.07	0.19	0.41	1.31	0.80
	50	0.15	0.43	0.81	1.13	0.71		50	0.12	0.35	0.71	1.27	0.80
	60	0.32	0.74	1.02	1.09	0.72		60	0.24	0.62	1.03	1.21	0.80
	70	0.54	0.89	-	0.99	0.71		70	0.43	0.89	-	1.10	0.77
	80	0.56	-	-	0.72	0.61		80	0.61	-	-	0.88	0.66

Devcan 6.7.4, August 2016, National Cancer Institute (<http://surveillance.cancer.gov/devcan/>).

Source: Incidence data are from the SEER 18 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, Atlanta, San Jose-Monterey, Los Angeles, Alaska Native Registry, Rural Georgia, California excluding SF/SJM/LA, Kentucky, Louisiana, New Jersey, and Georgia excluding ATL/RG). Mortality data are from the NCHS public use data file for the total US.

^a Underlying incidence and mortality data for American Indian/Alaska Native are based on the CHSDA (Contract Health Service Delivery Area) counties.

^b Hispanic is not mutually exclusive from whites, blacks, Asian/Pacific Islanders, and American Indians/Alaska Natives.

- Underlying incidence data for Hispanics are based on NHIA and exclude cases from the Alaska Native Registry.

- Statistic could not be calculated.

A percent of 0.00 represents a value that is below 0.005.