

Table 14.9
Cancer of the Liver and Intrahepatic Bile Duct (Invasive)

SEER^a Relative Survival (Percent)
By Year of Diagnosis

All Races, Males and Females

Year of Diagnosis

	1975- 1979	1980- 1984	1985- 1989	1990- 1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012
Survival Time																						
1-year	13.9	14.9	17.7	21.5	23.0	24.7	27.8	26.9	27.7	29.0	31.2	32.8	36.0	38.2	39.3	39.6	42.0	45.1	44.6	48.3	46.5	46.0
2-year	6.6	8.3	9.8	12.4	13.6	15.0	17.4	17.0	17.7	20.0	21.6	22.2	24.6	26.1	27.0	28.8	30.3	32.6	31.2	35.7	32.9	
3-year	4.8	6.0	7.3	8.7	9.5	10.8	12.4	13.1	14.3	15.4	15.9	17.3	20.3	20.6	21.3	23.4	23.9	25.7	24.1	27.5		
4-year	4.1	4.6	6.3	6.9	6.9	9.1	10.1	10.7	12.0	12.4	13.7	15.4	16.9	17.5	18.4	19.8	20.9	21.5	19.5			
5-year	3.4	3.8	5.4	5.6	5.7	8.1	8.1	9.4	10.1	11.7	11.9	14.0	15.4	14.5	16.8	17.0	18.4	18.5				
6-year	3.0	3.5	5.0	5.0	4.9	7.0	7.4	8.4	9.0	10.8	10.9	11.9	14.7	13.3	15.4	15.4	16.4					
7-year	2.8	3.1	4.8	4.6	4.4	6.6	6.6	6.9	8.3	10.0	9.8	11.3	13.0	12.6	14.0	14.4						
8-year	2.7	2.9	4.4	4.4	4.2	6.4	5.8	6.6	7.8	9.7	8.8	10.3	12.0	11.9	13.5							
9-year	2.6	2.8	4.2	4.3	4.1	5.9	5.6	5.6	7.5	9.4	8.4	10.0	11.4	11.3								
10-year	2.6	2.8	4.0	4.2	3.6	5.6	5.4	5.5	7.4	9.0	7.8	9.1	10.8									
11-year	2.6	2.6	4.0	4.0	3.2	5.5	5.4	4.8	6.9	8.7	7.7	8.7										
12-year	2.5	2.6	3.8	3.9	3.1	5.2	5.4	4.6	6.8	8.6	7.5											
13-year	2.3	2.4	3.8	3.8	3.1	5.0	5.4	4.5	6.6	8.4												
14-year	2.3	2.4	3.7	3.7	3.1	4.8	5.4	4.5	6.1													
15-year	2.2	2.4	3.7	3.7	3.0	3.9	5.0	4.5														
16-year	2.2	2.3	3.7	3.6	3.0	3.8	4.7															
17-year	2.1	2.3	3.7	3.5	2.9	3.8																
18-year	2.0	2.2	3.7	3.4	2.7																	
19-year	2.0	2.1	3.7	3.3																		
20-year	2.0	2.1	3.7																			

^a Based on the SEER 9 areas (San Francisco, Connecticut, Detroit, Hawaii, Iowa, New Mexico, Seattle, Utah, and Atlanta).